ARO

PROVISIONAL ANSWER KEY [CBRT]

Name of The Post Lecturer (Senior Scale), Gujarat Nursing Services, Class-1

Advertisement No 114/2019-20 Preliminary Test Held On 07-02-2021

Que. No. 001-300 [1-100 ARR General Studies + 101-300 ARO Concern Subject]

Publish Date 09-02-2021 Last Date to Send Suggestion (S) 17-02 -2021

Instructions / સૂયના

Candidate must ensure compliance to the instructions mentioned below, else objections shall not be considered: -


- (1) All the suggestion should be submitted in prescribed format of suggestion sheet Physically.
- (2) Question wise suggestion to be submitted in the prescribed format (Suggestion Sheet) published on the website.
- (3) All suggestions are to be submitted with reference to the Master Question Paper with provisional answer key (Master Question Paper), published herewith on the website. Objections should be sent referring to the Question, Question No. & options of the Master Question Paper.
- (4) Suggestions regarding question nos. and options other than provisional answer key (Master Question Paper) shall not be considered.
- (5) Objections and answers suggested by the candidate should be in compliance with the responses given by him in his answer sheet. Objections shall not be considered, in case, if responses given in the answer sheet /response sheet and submitted suggestions are differed.
- (6) Objection for each question shall be made on separate sheet. Objection for more than one question in single sheet shall not be considered & treated as cancelled.

ઉમેદવારે નીયેની સૂયનાઓનું પાલન કરવાની તકેદારી રાખવી, અન્યથા વાંધા-સૂયન અંગે કરેલ રજૂઆતો ધ્યાને લેવાશે નહીં

- (1) ઉમેદવારે વાંધા-સૂચનો નિયત કરવામાં આવેલ વાંધા-સૂચન પત્રકથી રજૂ કરવાના રહેશે.
- (2) ઉમેદવારે પ્રશ્નપ્રમાણે વાંધા-સૂચનો રજૂ કરવા વેબસાઇટ પર પ્રસિધ્ધ થયેલ નિયત વાંધા-સૂચન પત્રકના નમૂનાનો જ ઉપયોગ કરવો.
- (3) ઉમેદવારે પોતાને પરીક્ષામાં મળેલ પ્રશ્નપુસ્તિકામાં છપાયેલ પ્રશ્નકમાંક મુજબ વાંધા-સૂચનો રજૂ ન કરતા તમામ વાંધા-સૂચનો વેબસાઈટ પર પ્રસિધ્ધ થયેલ પ્રોવિઝનલ આન્સર કી (માસ્ટર પ્રશ્નપત્ર)ના પ્રશ્ન ક્રમાંક મુજબ અને તે સંદર્ભમાં રજૂ કરવા.
- (4) માસ્ટર પ્રશ્નપત્ર માં નિર્દિષ્ટ પ્રશ્ન અને વિકલ્પ સિવાયના વાંધા-સુયન ધ્યાને લેવામાં આવશે નહીં.
- (5) ઉમેદવારે જે પ્રશ્નના વિકલ્પ પર વાંધો રજૂ કરેલ છે અને વિકલ્પ રૂપો જે જવાબ સૂચવેલ છે એ જવાબ ઉમેદવારે પોતાની ઉત્તરવહીમાં આપેલ હોવો જોઈએ. ઉમેદવારે સૂચવેલ જવાબ અને ઉત્તરવહીનો જવાબ ભિન્ન હશે તો ઉમેદવારે રજૂ કરેલ વાંધા-સૂચન ધ્યાનમાં લેવાશે નહીં.
- (6) એક પ્રશ્ન માટે એક જ વાંધા-સૂચન પત્રક વાપરવું. એક જ વાંધા-સૂચન પત્રકમાં એકથી વધારે પ્રશ્નોની રજૂઆત કરેલ હશે તો તે અંગેના વાંધા-સૂચનો ધ્યાને લેવાશે નહીં.

| 001. | ગુજરાત રાજ્યમાં કર્કવૃત્ત કયા શહેર પાસેથી પસાર થાય | છે ? |
|------|--|--|
| | (A) ગાંધીનગર | (B) ભાવનગર |
| | (C) વલસાડ | (D) સુરત |
| 002. | નીચેના પૈકી કયા પ્રકારના જંગલો ભારતમાં આવેલ છે ? | |
| | 1. ઉષ્ણકટિબંધીય વરસાદી જંગલો | |
| | 2. ઉષ્ણ કટિબંધીય પાનખર જંગલો | |
| | 3. પર્વતીય જંગલો | |
| | 4. મેન્ગ્રુવ જંગલો | |
| | (A) 1, 2 અને 3 | (B) 1, 2 અને 4 |
| | (C) 1, 3 અને 4 | (D) 1, 2, 3 અને 4 |
| 003. | 1. ભારતનો અંદાજીત ભૂમિ વિસ્તાર 32.87 લાખ ચોર વિસ્તાર છે. | .સ કિ.મી. છે. દુનિયાના કુલ વિસ્તાર પૈકી 2.42% ભારતનો |
| | ભારત દુનિયામાં વિસ્તારની દેષ્ટીએ સાતમાં ક્રમે છે ભારતમાં રહે છે. | અને દુનિયાની કુલ વસતિના લગભગ 16% થી વધારે વસતિ |
| | (A) 1 વાક્ય યોગ્ય છે. | (B) 2 વાક્ય યોગ્ય છે. |
| | (C) 1 અને 2 વાક્યો યોગ્ય છે. | (D) 1 અને 2 વાક્યો યોગ્ય નથી. |
| 004. | પધ્ધતી સરના અભિગમને કારણે ભૂગોળની કેટલી શાખા | ઓ છે ? |
| | (A) ત્રણ (3) | (B) ચાર (4) |
| | (C) પાંચ (5) | (D) છ (6) |
| 005. | સને 2011 ના સેન્સસ મુજબ, ભારતમાં વસ્તીની ગીચતા ક | યા રાજ્યમાં સૌથી ઓછી છે અને કયા રાજ્યમાં સૌથી વધારે છે ? |
| | (A) મીઝોરામ અને પશ્ચિમ બંગાળ | (B) અરૂણાચલ પ્રદેશ અને બિહાર |
| | (C) મણીપુર અને મહારાષ્ટ્ર | (D) મેઘાલય અને કેરલા |
| 006. | ધોધ અને સબંધીત રાજ્યને યોગ્ય રીતે ગોઠવો. | |
| | <u>ધોધ (Fall)</u> | <u>રાજ્ય (State)</u> |
| | 1. તાલાકોના (Talakona) | a. રાજસ્થાન |
| | 2. તીર્થઘર (Tirthgarh) | b. હિમાચલ પ્રદેશ |
| | 3. બુંદલા (Bundla) | c. છત્તીસગઢ |
| | 4. ચુલીયા (Chulia) | d. આંધ્ર પ્રદેશ |
| | (A) $1 - a$, $2 - d$, $3 - c$, $4 - b$ | (B) 1 - b, 2 - a, 3 - d, 4 - c |
| | (C) 1 - d, 2 - c, 3 - b, 4 - a | (D) 1 - c, 2 - b, 3 - a, 4 - d |
| 007. | ભારતની નદીઓ અને તેના ઉપર બાંધવામાં આવેલ બંધ | (Dam) ને યોગ્ય રીતે ગોઠવો. |
| | <u>નદીઓ</u> - | <u>બંધ</u> |
| | 1. ક્રિપ્ણા | a. તેહરી |
| | 2. મહાનદી | b. ભાખરા નાંગલ - |
| | 3. સતલજ | c. હિરાકુંડ |
| | 4. ભાગીરથી | d. નાગાર્જૂન સાગર |
| | (A) 1 - a, 2 - d, 3 - c, 4 - b | (B) 1 - b, 2 - a, 3 - d, 4 - c |
| | (C) $1 - c$, $2 - b$, $3 - a$, $4 - d$ | (D) 1 - d, 2 - c, 3 - b, 4 - a |

| 008. | ભારતના કિલ્લાઓ અને તેના રાજ્ય સબંધીત જોડીઓ પૈકી કઈ જોડી યોગ્ય નથી ? | | | | |
|------|---|--|--|--|--|
| | (A) ચીત્તોડગઢ (Chittorgarh Fort) – રાજસ્થાન | (B) ગોવલ કોંડા ફોર્ટ (Golkonda) – તેલંગણા | | | |
| | C) વારાગલ ફોર્ટ (Warangal Fort) – તામીલનાડુ | (D) કાંગરા ફોર્ટ (Kangra Fort) – હિમાચલ પ્રદેશ | | | |
| 009. | ગુજરાતના બંદરો અને જીલ્લાઓની જોડી પૈકી કઈ જોડી યોગ્ય નથી ? | | | | |
| | (A) અલંગ – ભાવનગર | (B) દહેજ – ભરૂચ | | | |
| | (C) હજીરા – સુરત | (D) તુના – અમરેલી | | | |
| 010. | વન્ય જીવન અભયારણ્યની કઈ જોડીઓ યોગ્ય છે ? | | | | |
| | 1. જેસોર હરણ અભયારણ્ય – બનાસકાંઠા | | | | |
| | 2. રતન મહાલ અભયારણ્ય – દાહોદ | | | | |
| | 3. પૂર્ણા વન્યજીવન અભયારણ્ય – ડાંગ | | | | |
| | 4. રામપરા અભયારણ્ય – સુરેન્દ્રનગર | | | | |
| | (A) 1, 2 અને 4 | (B) 1, 2, 3 અને 4 | | | |
| | (C) 1, 3 અને 4 | (D) 1, 2 અને 3 | | | |
| 011. | હવાઈ મથક (air port) અને રાજ્યને યોગ્ય રીતે ગોઠવ | ì. | | | |
| | 1. વિશાખાપદ્વનમ ઈન્ટરનેશનલ એરપોર્ટ (Visakhaj | patnam) a. કર્નાટક | | | |
| | 2. વીર સાવરકર ઈન્ટરનેશનલ એરપોર્ટ | b. અંદામાન નીકોબાર | | | |
| | 3. ડોબોલીમ એરપોર્ટ (Dabolim) | c. આંધ્ર પ્રદેશ | | | |
| | 4. કેમપીગોવડા ઈન્ટરનેશનલ એરપોર્ટ (Kempegow | rda) d. ગોવા | | | |
| | (A) 1 - c, 2 - b, 3 - d, 4 - a | (B) 1 - b, 2 - d, 3 - a, 4 - c | | | |
| | (C) 1 - d, 2 - a, 3 - c, 4 - b | (D) 1 - a, 2 - c, 3 - b, 4 - d | | | |
| 012. | ગુપ્ત સમય દરમ્યાન મંદીર બાંધકામ (Temple Architecture)ના મુખ્યત્વે કેટલા તબક્કા હતા? | | | | |
| | (A) & (Six) | (B) પાંચ (Five) | | | |
| | (C) ચાર (Four) | (D) ત્રણ (Three) | | | |
| 013. | નીચેના પૈકી કઈ જોડી યોગ્ય છે ? | | | | |
| | (A) વિક્રમશીલા યુનિવર્સિટી − ઉત્તર પ્રદેશ | (B) હિમકુંડ ગુરૂદ્વારા – હિમાચલ પ્રદેશ | | | |
| | (C) ઉદયગીરી ગુફા – મહારાષ્ટ્ર | (D) અમરાવતી બુદ્ધ સ્તુપ – આંધ્ર પ્રદેશ | | | |
| 014. | માટીકામ (Pottery) અને તેના ઉદભવ સ્થાનને યોગ્ય ર | ોતે ગોઠવો. | | | |
| | 1. ખુરજા (Khurja Pottery) | a. પશ્ચિમ બંગાળ | | | |
| | 2. બ્લેક (Black Pottery) | b. જયપુર | | | |
| | 3. બ્લુ (Blue Pottery) | c. આઝમગઢ, યુપી | | | |
| | 4. સુરઈ (Surai Pottery) | d. ઓડીસા | | | |
| | (A) $1 - d$, $2 - c$, $3 - b$, $4 - a$ | (B) 1 - c, 2 - b, 3 - a, 4 - d | | | |
| | (C) $1 - b$, $2 - a$, $3 - d$, $4 - c$ | (D) 1 - a, 2 - d, 3 - c, 4 - b | | | |
| | | | | | |



| 022. | ભારતમા બનતી સાડીઓ અને તેના મુખ્ય ઉત્પાદન કેન્દ્રન | ી જોડીઓ પૈકી જોડી યોગ્ય નથી ? | | |
|------|--|--|--|--|
| | (A) મુગા સીલ્ક સાડી (Muga Silk) – આસામ | (B) લહેરીયા સાડી (Leheriya Saree) – રાજસ્થાન | | |
| | (C) પૈઠણી સાડી (Paithani Saree) – મહારાષ્ટ્ર | D) તન્ત સાડી (Taant Saree) – મધ્ય પ્રદેશ | | |
| 023. | નીચેના પૈકી કયા મહાનુભાવો ચિત્રકાર છે ? | | | |
| | 1. રાજા રવી વર્મા 2. રવીન્દ્રનાથ ટાગોર 3. રવિ | શંકર 4. તૈયબ મહેતા | | |
| | (A) 1, 2 અને 3 | (B) 1, 2 અને 4 | | |
| | (C) 1, 3 અને 4 | (D) 2, 3 અને 4 | | |
| 024. | નીચેના વાક્યો ચકાસો ઃ | | | |
| | ચંદ્રગુપ્ત મૌર્યના શાસનકાલમાં મેગેસ્થનિસ ભારત અ વેપાર-વાણિજય જેવી બાબતો વર્ણવેલી છે. | માવેલ અને તે ણે ચંદ્રગુપ્તની શાસન વ્યવસ્થા, સમાજ વ્યવસ્થા | | |
| | ચીનથી ફહિયાન, યુઅન-શાંગ અને ઈત્સિંગ મુખ્ય ક વિશ્વવિદ્યાલય વગેરેનું વર્ણન કરેલ છે. | પ્રવાસીઓ હતા, તેઓએ બૌદ્ધ ધર્મ, સમ્રાટ હર્ષવર્ધન, નાલંદ | | |
| | (A) 1 વાક્ય યોગ્ય છે. | (B) 2 વાક્ય યોગ્ય છે. | | |
| | (C) 1 અને 2 બન્ને વાક્ય યોગ્ય છે. | (D) 1 અને 2 બન્ને વાક્ય યોગ્ય નથી. | | |
| 025. | ગુજરાતના સ્થાપત્યો અને તેના સ્થળ અંગેની જોડીઓ પૈક | તી કઈ જોડી યોગ્ય નથી ? | | |
| | (A) સૂર્ય મંદિર – મોઢેરા (જીલ્લો મહેસાણા) | B) સહસ્ત્રલિંગ તળાવ – ઘુમલી (પોરબંદર) | | |
| | (C) રૂદ્રમહાલય – સિદ્ધપુર | (D) કીર્તિ તોરણ – વડનગર | | |
| 026. | હડપ્પીય નગર આયોજન અને તેના સ્થળની જોડીઓ પૈકી | l કઈ જોડી યોગ્ય નથી ? | | |
| | (A) સ્નાનાગર અને તેની ચારે બાજુ ઓરડાઓ – મોંહે જ | તો દડો | | |
| | (B) વિશિષ્ટ પ્રકારના અનાજના કોઠારો – હડપ્પા | | | |
| | (C) તાંબાનો વિપુલ જથ્થો – કાલીબંગન | | | |
| | (D) ખેડેલા ખેતરો અને કૃષિ ક્ષેત્રનો વિકાસ – ધોળાવીરા | | | |
| 027. | ઉપનિષદમા જણાવેલ દાર્શનિક વિચારધારા ષડ્દર્શન અને | ો તેના રચયિતાને યોગ્ય રીતે ગોઠવો. | | |
| | <u>દર્શન</u> | <u>રચયિતા</u> | | |
| | 1. સાંખ્ય | a. મહર્ષિ જૈમિન | | |
| | 2. ન્યાય | b. મહર્ષિ કપિલ | | |
| | 3. વૈશેષિક | c. મહર્ષિ ગૌતમ | | |
| | 4. પૂર્વમીમાંસા | d. મહર્ષિ કણાદ | | |
| | (A) 1 - b, 2 - c, 3 - d, 4 - a | (B) 1 - c, 2 - d, 3 - a, 4 - b | | |
| | (C) 1 - d, 2 - a, 3 - b, 4 - c | (D) $1 - a$, $2 - b$, $3 - c$, $4 - d$ | | |
| 028. | • | યાનીના નામની જોડીઓ પૈકી કઈ જોડી/જોડીઓ યોગ્ય છે ? | | |
| | 1. અંગ – ચંપા (માલિની) 2. કાશી – ગિરિવ્રજ/રાજ | ૪ગૃહ 3. કોશલ − મિથિલા 4. વત્સ − મથુરા | | |
| | (A) માત્ર 1 | (B) માત્ર 1 અને 2 | | |
| | (C) માત્ર 1, 2 અને 3 | (D) 1, 2, 3 અને 4 | | |
| | | | | |

- નીચેના વાક્યો ચકાસો : 029.
 - 1. ઈલ્તુત્મિશની પુત્રી રઝિયા તેની ઉત્તરાઅધિકારી હતી. તેણીએ બધીજ જગ્યાઓ માત્ર અમીરોને ન આપતા બધીજ જાતીના લોકોને નીમણંક આપેલ.
 - 2. ગ્યાસુદ્દીન બબ્બનના દરબારમાં અમીર ખુશરો અને અમીર હસન જેવા સાહિત્યકારો હતા.
 - 3. અલાઉદ્દીન ખલજી એ પોતાના વિજયોના કારણે જાણીતો છે, તેના સરદારે પ્રતાપ રૂદ્રદેવને હરાવી ''કોહીનુર'' હીરો મેળવેલ હતો.
 - (A) 1 અને 2 વાક્યો યોગ્ય છે.

(B) 1 અને 3 વાક્યો યોગ્ય છે.

(C) 2 અને 3 વાક્યો યોગ્ય છે.

- **D** 1, 2 અને 3 વાક્યો યોગ્ય છે.
- મુધલ યુગના શાસકોને તેના રાજ્ય કારભારના સમયના ક્રમાનુસાર ગોઠવો. 030.
 - (A) બાબર, જહાગીર, અકબર, શાહજહાં
- (B) જહાગીર, શાહજહાં, બાબર, અકબર
- (C) બાબર, અકબર, જહાગીર, શાહજહાં
- (D) અકબર, બાબર, જહાગીર, શાહજહાં
- રાજપૂત કાળ દરમ્યાન લખવામાં આવેલ સાહિત્ય અને તેના રચનાકારની જોડીઓ પૈકી કઈ જોડી યોગ્ય નથી ? 031.
 - (A) સંસ્કૃત ભાષાના મહાન કવિ માધ શિશુપાલ વધ (B) કવિશ્રી હર્ષ નૈષધ ચરિત
 - (C) હેમચંદ્રાચાર્ય સિદ્ધહેમ શબ્દાનુશાસન
- (D) બિલ્હણ મુદ્રા રાક્ષસ
- મધ્ય યુગીન ગુજરાતના સંદર્ભમાં નીચેના પૈકી કયુ વાક્ય યોગ્ય નથી ? 032.
 - (A) ઈ.સ. 746 થી 1306 ના 560 ના વર્ષના સમય ગાળામાં ગુજરાતમા ચાવડા, સોલંકી અને વાઘેલા વંશના શાસકોએ શાસન કરેલ હતં.
 - (B) રાણી ઉદયમતિએ બનાવેલ "રાણીની વાવ" બનાવેલ હતી.
 - (C) રાજમાતા મીનલદેવીના કહેવાથી ધોળકામાં મલાવ તળાવ અને વિરમગામમાં મુનસર તળાવ બાંધવામાં આવ્યા હતા.
 - (D) સોલંકી રાજ્યતંત્રમાં ''અષ્ટ પ્રધાન મંડળ'' સર્વોપરી સત્તા ભોગવતા હતા.
- 1. એ. ઓ હ્યુમના પ્રયત્નોથી 1885માં હિંદી રાષ્ટ્રીય મહાસભાની સ્થાપના કરવામાં આવેલ હતી અને વ્યોમેશચંદ્ર બેનરજીના 033. અધ્યક્ષ બદે તેનુ પ્રથમ અધિવેશન મળેલ હતુ.
 - 2. ચંપારણ સત્યાગ્રહના મુખ્ય હેતુઓ (1) સ્વદેશી માલનો વેપાર કરવો (2) વિદેશી માલનો બહિષ્કાર કરવો (3) રાષ્ટ્રીય શિક્ષણ લેવું

ઉપરોક્ત વાક્યો ચકાસો.

- (A) 1 વાક્ય અને 2 વાક્ય યોગ્ય છે.
- (B) 1 વાક્ય અને 2 વાક્ય, બન્ને વાક્યો યોગ્ય નથી.

(C) માત્ર 2 વાક્ય યોગ્ય છે.

- (D) માત્ર 1 વાક્ય યોગ્ય છે.
- નીચેના પૈકી કયા મહાનુભાવો ક્રાન્તિવીરો ન હતા ? 034.
 - (A) વાસુદેવ બળવંત ફડકે અને વીર સાવરકર
- (B) સુરેન્દ્રનાથ બેનરજી અને બંકિમચંદ્ર ચટ્ટોપાધ્યાય
- (C) ખુદીરામ બોઝ અને રામપ્રસાદ બિસ્મિલ
- (D) અશફાક ઉલ્લાખાં અને ચંદ્રશેખર
- 1. હિંદ સ્વતંત્રધારો 1949 મુજબ ભારતીય સંઘ અને પાકિસ્તાન સંઘને સ્વતંત્ર કરવામાં આવેલ હતા અને પોતાનું બંધારણ 035. ઘડવાની મંજારી આપેલ હતી.
 - 2. ભારતના 562 દેશી રાજ્યો પૈકી 559 રાજ્યોએ ભારત સાથે જોડાવવા સહમતી આપેલ હતી. આ મહાન કાર્ય શ્રી સરદાર વલ્લભભાઈ પટેલના પ્રયત્નથી સાકાર થયેલ હત.
 - 3. જાુનાગઢ લોકમતને કારણે, હૈદરાબાદ લશ્કરી પગલાને કારણે તથા કાશ્મિર પાક હુમલાને કારણે ભારત સાથે જોડાયેલ હતા.
 - (A) 1 અને 3 વાક્યો યોગ્ય છે.

(B) 2 અને 3 વાક્યો યોગ્ય છે.

(C) 1 અને 2 વાક્યો યોગ્ય છે.

(D) 1, 2 અને 3 વાક્યો યોગ્ય છે.

| 036. | બનાવો અને સબંધીત તારીખોને યોગ્ય રીતે ગોઠવો. | | | |
|------|---|--|--|--|
| | 1. 30 જાન્યુઆરી 1948 | a. પ્રથમ અશુ બૉમ્બનો વિસ્ફોટ (Automic Bomb) | | |
| | 2. 26 જાન્યુઆરી 1950 | b. ગાંધીજીની હત્યા | | |
| | 3. 15 ઑગષ્ટ દર વર્ષે | c. બંધારણનો અમલ | | |
| | 4. 6 ઑગષ્ટ 1945 | d. સ્વાતંત્રતા દિન | | |
| | (A) 1 - c, 2 - d, 3 - a, 4 - b | (B) 1 - b, 2 - c, 3 - d, 4 - a | | |
| | (C) 1 - d, 2 - a, 3 - b, 4 - c | (D) 1 - a, 2 - b, 3 - c, 4 - d | | |
| 037. | અન્ય બાબતો યથાવત રહે તો વસ્તુની કિંમત ઘટતા, માંગ ફેરફારો પર આધારિત છે. | ામા વધારો થાય છે. માંગનું વિસ્તરણ-સંકોચન વસ્તુની કિંમતના | | |
| | અન્ય પરિબળો યથાવત રહે તો વસ્તુની કિંમત વધારો થ ઘટે છે, આમ વસ્તુની કિંમત અને પુરવઠા વચ્ચે ઘન સ | તા પુરવઠામાં વધારો થાય છે અને વસ્તુની કિંમત ઘટતા પુરવઠો બંધ છે. | | |
| | ઉપરના વાક્યો ચકાસો. | | | |
| | (A) 1 વાક્ય યોગ્ય છે. | (B) 2 વાક્ય યોગ્ય છે. | | |
| | (C) 1 અને 2 વાક્યો, બન્ને યોગ્ય નથી. | (D) 1 અને 2 વાક્યો, બન્ને યોગ્ય છે. | | |
| 038. | બજારના વર્ગીકરણના નીચેના પૈકી પ્રકારો છે ? | | | |
| | 1. પૂર્ણ હરીફાઈ (Perfect Competition) | | | |
| | 2. ઈજારો (Monopoly) | | | |
| | 3. ઈજારા યુક્ત હરીફાઈ (Monopolistic) | | | |
| | 4. અલ્પ હસ્તક ઈજારો (Oligopoly) | | | |
| | (A) 1, 2 અને 3 | (B) 1, 3 અને 4 | | |
| | (C) 1, 2, 3 અને 4 | (D) 2, 3 अने 4 | | |
| 039. | રેસીડેન્સ સેન્સસ (Residence Census) 2011 મુજબ પોપ્યુલેશન (Child population - 0 to 6 years) કેટલ | મારત અને ગુજરાત રાજ્યમાં, કુલ વસ્તીના પ્રમાણમાં ચાઈલ્ડ ॥ ટકા (%) છે ? | | |
| | (A) 13.6 અને 12.9 | (B) 12.9 અને 13.6 | | |
| | (C) 16.1 અને 16.3 | (D) 9.9 અને 14.3 | | |
| 040. | રીઝર્વ બેંક ઑફ ઈન્ડીયા (RBI) ને "બેકર્સ બેંક" કહે છે | કારણ કે. | | |
| | (A) બેન્કો પોતાની વધારાની થાપણો RBI માં મુકે છે. | | | |
| | (B) બેંકોને જરૂર હોય ત્યારે RBI તેઓને ધિરાણ આપે છે. | | | |
| | (C) નાણાકિય બાબતો માટે RBI બેંકોને સલાહ સુચન આપે છે. | | | |
| | (D) ઉપરોક્ત બધીજ બાબતો લાગુ પડે છે. | | | |
| 041. | પાર્ટીસીપેટરી નોટ (Participatory notes P-notes) ન | ીચેના પૈકી કોની સાથે સંકળાયેલ છે ? | | |
| | (A) ભારતનુ એકત્રીત ભંડોળ (Consolidated fund of India) | | | |
| | (B) ફોરેન ઈન્સ્ટીટ્યુશનલ રોકાણકારો (Foreign Insti | itutional Investors) | | |
| | (C) યુનાઇટેડ નેશન્સ ડેવલપમેન્ટ પ્રોગ્રામ (United Nations Development Programme) | | | |
| | (D) ક્યોટો પ્રોટોકૉલ (Kyoto Protocol) | | | |

| 042. | ભારતના જયારે બજેટ (Budget) લોકસભામાં મંજાુર થ | ઈ શકતુ નથી ત્યારે ઃ | | | |
|------|--|--|--|--|--|
| | (A) રાજ્યસભામા મંજાુરી અર્થે સાદર કરવામાં આવે છે. | | | | |
| | (B) જરૂરી સુધારા - વધારા કરીને પુનઃ મંજાર કરવામાં આવે છે. | | | | |
| | (C) કેન્દ્ર સરકારના નાણામંત્રી રાજીનામુ આપે છે. | | | | |
| | (D) દેશના વડા પ્રધાન, પ્રધાન મંડળનુ રાજીનામુ આપે છે |). | | | |
| 043. | ઈઝ ઑફ ડુઈંગ બીઝનેસ (Ease of Doing Business) અને ત્રેસઠ (63)માં સ્થાને કયા દેશો છે ? |) કે જે વર્લ્ડ બેંક દ્વારા જાહેર કરવામાં આવે છે તેમાં પ્રથમ સ્થાને | | | |
| | 🔼 ન્યુઝીલેન્ડ અને ભારત | (B) સીંગાપોર અને ભારત | | | |
| | (C) ડેનમાર્ક અને સાઉદી અરેબીયા | (D) સ્વીડન અને કોલંબીયા | | | |
| 044. | પ્રથમ પંચ વર્ષની યોજના અને બીજી પંચ વર્ષની યોજનાચ | નો સૌથી વધારે મહત્વ કઈ બાબતને આ પેલ હતું ? | | | |
| | (A) સ્વનિર્ભરતા અને ગામડાનો વિકાસ | | | | |
| | (B) ખેતી ક્ષેત્રનો વિકાસ અને મુળભૂત પાયાના ઔદ્યોગી | ક એકમોને વિકાસ | | | |
| | (C) રોડ, ટેલીકૉમ્યુનીકેશન અને કૃષિ ક્ષેત્રનો વિકાસ | | | | |
| | (D) ગરીબી હટાવો અને સ્વનિર્ભરતા | | | | |
| 045. | નિકાસ સજજતા અનુક્રમણિકા (Export Preparedness Index) 2020 મુજબ (Major States - Group A - costal states) પ્રથમ, બીજા અને ત્રીજા સ્થાન ઉપર ભારતના કયા રાજ્યો છે ? | | | | |
| | (A) મહારાષ્ટ્ર, તામિલનાડુ, ઓડીશા | (B) ઓડીશા, કર્નાટક, કેરલા | | | |
| | 🔘 ગુજરાત, મહારાષ્ટ્ર, તામિલનાડુ | (D) આંધ્ર પ્રદેશ, કેરલા, ગુજરાત | | | |
| 046. | માનવ વિકાસ આંક 2020 (Human Development I | ndex 2020 HDI-2020) મુજબ | | | |
| | 1. HDI મા નોર્વે (Norway), સ્વીટ્ઝરલેન્ડ (Switzerland) અને આર્યરલેન્ડ (Ireland) અનુક્રમે પ્રથમ, બીજા અને ત્રીજા સ્થાને છે. | | | | |
| | 2. આ અહેવાલ મુજબ ભારત 139માં સ્થાને છે જ્યારે ર | બફઘાનીસ્તાન 160માં સ્થાને છે. | | | |
| | ઉપરોક્ત વાક્યો ચકાસો. | | | | |
| | (A) 1 અને 2 બન્ને વાક્યો યોગ્ય છે. | (B) 1 અને 2 બન્ને વાક્યો યોગ્ય નથી. | | | |
| | 🔘 માત્ર 1 વાક્ય યોગ્ય છે. | (D) માત્ર 2 વાક્ય યોગ્ય છે. | | | |
| 047. | ગુજરાત રાજ્યના 2020-2021ના અંદાજપત્ર (Budget) | માં સૌથી વધારે ફાળવણી કયા ક્ષેત્રને ફાળવવામાં આવે છે ? | | | |
| | (A) ઉર્જા ક્ષેત્ર | (B) શિક્ષણ, રમતગમત, કલા | | | |
| | (C) સ્વાસ્થ અને કુટુમ્બ કલ્યાણ | (D) ઉદ્યોગ વિભાગ | | | |
| 048. | ભારતના સંવિધાનના આમુખમાં ''સર્વભૌમ, સમાજવાદી, બિનસંપ્રદાયિક'' વગેરે શબ્દો, કયા બંધારણીય સુધારાથી દાખલ કરેલ હતા ? | | | | |
| | (A) 40મો સુધારો | (B) 41મો સુધારો | | | |
| | (C) 42મો સુધારો | (D) 43મો સુધારો | | | |
| 049. | ''રાજ્યના નાણામાંથી પૂરેપૂરી નિભાવાતી શિક્ષણ સંસ્થામ ભારતના બંધારણની કઈ કલમમાં કરવામાં આવેલી છે ? | i કોઈ પ્રકારનું ધાર્મિક શિક્ષણ આપી શકાશે નહીં.'' આ જોગવાઈ | | | |
| | (A) 27 | (B) 28 | | | |
| | (C) 29 | (D) 30 | | | |
| | | | | | |

| 050. | સાવવાનમાં આપવામાં આવલ હક્કાના અમલ કરવા માટના આવકારા, કંઈ કલમમાં દેશાવવામાં આવલ છે : | | | | |
|------|--|--|--|--|--|
| | (A) 33 | (B) 30 | | | |
| | (C) 31 | (D) 32 | | | |
| 051. | ભારતના બંધારણમાં રાજ્યનીતિના માર્ગદર્શક સિદ્ધાંતો | ની કલમ 38માં કઈ બાબતની જોગવાઈ કરેલ છે ? | | | |
| | 1. લોક કલ્યાણની વૃદ્ધિ માટે રાજ્યે સર્જવાની સામાજિક | ુ વ્યવસ્થા. | | | |
| | 2. પુરૂષ અને સ્ત્રી નાગરિકોને આજિવિકાનું પૂરતુ સાધન | ન મેળવવાનો સમાન અધિકાર છે. | | | |
| | (A) માત્ર 1 વાક્યની જોગવાઈ | (B) માત્ર 2 વાક્યની જોગવાઈ | | | |
| | (C) 1 અને 2 બન્ને વાક્યોની જોગવાઈ | (D) 1 અને 2 બન્ને વાક્યોની જોગવાઈ નથી | | | |
| 052. | | ાોમાંથી સીધી ચૂટણીથી પસંદ કરાયેલ સભ્યો અને સંઘ રાજ્યક્ષેત્રોનુ .'' આ જોગવાઈ ભારતના બંધારણની કઈ કલમમાં દર્શાવેલ છે ? | | | |
| | (A) 80 | B) 81 | | | |
| | (C) 82 | (D) 83 | | | |
| 053. | "ભારતના ઉપરાષ્ટ્રપતિ હોદ્દાની રૂએ રાજ્યસભાના સભાપતિ રહેશે.'' આ જોગવાઈ ભારતના બંધારણની કઈ કલમમાં દર્શાવેલ છે ? | | | | |
| | (A) 64 | (B) 65 | | | |
| | (C) 66 | (D) 63 | | | |
| 054. | રાજ્યના રાજ્યપાલની નિમણુંક કોણ કરે છે ? | | | | |
| | (A) માન. રાષ્ટ્રપતિશ્રી | (B) માન. ઉપ રાષ્ટ્રપતિશ્રી | | | |
| | (C) માન. વડાપ્રધાનશ્રી | (D) માન. રાજ્યના મુખ્યમંત્રીશ્રી | | | |
| 055. | ભારતના સંવિધાનની કલમ 131માં કઈ બાબતની જોગવાઈ કરવામાં આવેલી છે ? | | | | |
| | (A) ઉચ્ચતમ ન્યાયાલય રેકર્ડ ન્યાયાલય રહેશે | (B) ઉચ્ચતમ ન્યાયાલયની મૂળ હકૂમત | | | |
| | (C) ઉચ્ચતમ ન્યાયાલયનું સ્થળ | (D) ઉચ્ચતમ ન્યાયાલયની સ્થાપના અને રચના | | | |
| 056. | પંચાયતોની તમામ ચૂંટણીઓ માટે મતદાર યાદી તૈયાર | કરવી, દેખરેખ માર્ગદર્શન અને નિયંત્રણની જવાબદારી કોની છે ? | | | |
| | (A) ચૂંટણી આયોગ | (B) રાજ્ય ચૂંટણી કમિશન | | | |
| | (C) રાજ્યના પંચાયત વિભાગની | (D) સબંધીત કલેક્ટરશ્રી | | | |
| 057. | લોકપાલ (Lok Pal) માં અધ્યક્ષશ્રી ઉપરાંત કેટલા સભ્યો હોય છે ? | | | | |
| | (A) 6 | (B) 7 | | | |
| | (C) 8 | (D) 9 | | | |
| 058. | 1. ભારતમાં નાણા આયોગ (Finance Commission) ની રચના કલમ 280 હેઠળ ભારતના બંધારણની જોગવાઈઓ મુજબ કરવામાં આવે છે. | | | | |
| | 2. 15માં નાણા આયોગની મુદત પાંચ વર્ષ છે અને તેનો કાર્યકાળ 1 એપ્રીલ 2020 થી 31 માર્ચ 2025 છે. | | | | |
| | 3. આયોગમાં અધ્યક્ષ ઉપરાંત સાત સભ્યો હોય છે. | | | | |
| | (A) 1, 2 અને 3 વાક્યો યોગ્ય છે. | (B) 1 અને 2 વાક્યો યોગ્ય છે. | | | |
| | (C) 1 અને 3 વાક્યો યોગ્ય છે. | (D) 2 અને 3 વાક્યો યોગ્ય છે. | | | |
| | | | | | |

- 059. 1. સંઘને એક લોક સેવા આયોગ રહેશે.
 - 2. સામાન્ય રીતે દરેક રાજ્યને એક લોક સેવા આયોગ રહેશે.
 - 3. સંઘ આયોગના અધ્યક્ષ અને સભ્યોની નિમણુક માન. રાષ્ટ્રપતિ કરે છે.
 - 4. સંઘ આયોગના ખર્ચાઓ ભારતના એકત્રિત ફંડ ખાતે ઉધારવામાં આવે છે.
 - (A) 1, 2 અને 3 વાક્યો યોગ્ય છે.
- (B) 1, 2 અને 4 વાક્યો યોગ્ય છે.
- (C) 1, 3 અને 4 વાક્યો યોગ્ય છે.
- (D) 1, 2, 3 અને 4 વાક્યો યોગ્ય છે.
- 060. નિકાસ સજ્જતા અનુક્રમણિકા (Export Preparedness Index 2020) કઈ સંસ્થા મંત્રાલય દ્વારા બહાર પાડવામાં આવેલ છે ?
 - (A) વાશિજ્ય અને ઉદ્યોગ મંત્રાલય (Ministry of Commerce & Industry)
 - (B) નાણા મંત્રાલય (Ministry of Finance)
 - (C) નીતિ આયોગ
 - (D) રીઝર્વ બેન્ક ઑફ ઈન્ડીયા
- 061. 1. કેન્દ્રીય માહિતી પંચ (Central Information Commission)ની રચના તા. 12-10-2005ના રોજ માહિતીનો અધિકાર અધિનિયમ 2005 હેઠળ કરવામાં આવેલ છે.
 - 2. માહિતી જાહેર કરવામાંથી મુક્તિની જોગવાઈ કલમ 10 માં દર્શાવેલ છે.


ઉપરોક્ત પૈકી કયા વાક્યો યોગ્ય છે.

(A) 1 વાક્ય યોગ્ય છે.

- (B) 2 વાક્ય યોગ્ય છે.
- (C) 1 અને 2 બન્ને વાક્યો યોગ્ય છે.
- (D) 1 અને 2 બન્ને વાક્યો યોગ્ય નથી.
- 062. 1. ભારતના એક નિયંત્રક મહાલેખા પરીક્ષક રહેશે.
 - 2. તેઓની નિમણૂક માન. રાષ્ટ્રપતિ કરે છે.
 - 3. ભારતમાં સંઘ, રાજ્યો તથા પંચાયતોના હિસાબોના અંગેના નમૂના તૈયાર કરવા હિસાબો ચકાસવાની કામગીરી તેઓની છે.
 - (A) 1, 2 અને 3 વાક્યો યોગ્ય છે.
- (B) 1 અને 3 વાક્યો યોગ્ય છે.

(C) 1 અને 2 વાક્યો યોગ્ય છે.

- (D) 2 અને 3 વાક્યો યોગ્ય નથી.
- 063. નીચે આકૃતિમાં ત્રીકોણના દર્શાવેલ શબ્દો દીકરીઓ (Girls) છે, ચોરસમાં દર્શાવેલ શબ્દો રમતવીર (Sports Person) છે અને ગોળમાં દર્શાવેલ પ્રેક્ષકો છે. આ સંજોગોમાં કઈ દીકરીઓ રમતવીર છે ?



(A) B

(B) D

(C) E

- (D) C
- 064. AZ, CX, FU ની જોડીઓ બાદ AD, CDમાં કઈ જોડી આવશે ?
 - (A) HS

(B) GJ

(C) JQ

(D) KP

| (A) 8 ⁴ | 10° | | | | | (| B) 960 |)° | |
|---|-----------------|------------------------------|------------|------------------|--|-------------------------|---------------------------|----------------------|---|
| (C) 24 | 10° | | | | | (| (D) 120 |)° | |
| | 16 | | | 16 | | | 16 | | |
| 9 | 18 | 25 | 4 | 20 | 36 | 25 | <u>(X)</u> | 9 | |
| | 36 | | | 64 | | | 4 | | |
| x ની (| કેમ્મત કે | ટલી હશે | ? | | | | | | |
| (A) 20 |) | | | | | (| B) 18 | | |
| (C) 14 | 1 | | | | | (| D) 16 | | |
| જો Aનું | મૂલ્ય x^2 | ²_y² હોય | ા, Bનું મૃ | <u> </u> લ્ય = 2 | છ હોય ર | બને <i>x</i> + <u>)</u> | · = 10 s | કોય તો | |
| (A) A | નું મૂલ્ય] | B કરતા ^હ | વધારે છે | | | (| (B) Aनुं | મૂલ્ય B | 3 કરતા ઓછુ છે. |
| (C) A | અને Bન્ | ું મૂલ્ય સ | ામાન છે. | | | (| D) A અ | _મ ને Bનું | મૂલ્ય નક્કી કરવા માટે વિગતો પુરતી નથી. |
| | • | | | | | | | | % નફો મેળવે છે અને બીજી ઘડીયાળ વેચતા જ્ઞેગોમાં ઘડીયાળની ખરીદ કિંમત કેટલી હશે ? |
| (A)1, | 000 კ ι. | અને 1,6 | 600 રૂા. | | | (| (B) 1,20 | 00 રૂા. ર | અને 1,400 રૂા. |
| (C) 1, | 300 રૂા. | અને 1,3 | 300 રૂા. | | | (| (D) 900 |) રૂા. અ | ને 1,700 રૂા. |
| એક શહેરમાં 15 સરખી ક્ષમતા ધરાવતા પંપથી એક ટાંકી તો કેટલા વધારાના પંપની જરૂર પડશે ? | | ક ટાંકી 24 | ! દિવસમ | માં ભરાય | ય છે. જો આ ટાંકી 10 દિવસમાં ભરવાની થાય | | | | |
| (A) 30 | 6 | | | | | (| B) 21 | | |
| (C) 57 | 7 | | | | | (| (D) 41 | | |
| ખાલી વ | ૪ગ્યા પુર | દ્યે. | | | | | | | |
| $\frac{4}{9}, \frac{9}{20}$ | , | $\frac{39}{86}, \frac{7}{1}$ | 79 74 | | | | | | |
| $(A) \frac{1}{4}$ | $\frac{7}{0}$ | | | | | (| B) $\frac{19}{42}$ | | |
| (C) $\frac{2}{4}$ | <u>0</u> 5 | | | | | (| (D) $\frac{29}{53}$ | | |
| | | • | | • | - | • | | | ો દરરોજ નાં, તે પહેલાના દિવસ કરતા રૂા. 50 . કેટલા રૂા. દંડ ભરવો પડશે ? |
| (A) 49 | 950 | | | | | (| B) 425 | 50 | |
| | | | | | | | | | |

| 072. | 72. એક વ્યક્તિ પાસે સોનાના સિક્કાના ત્રણ ગણા ચાંદીના સિક્કા છે. જો તેને સોનાના વધારે 10 સિક્કા આપવા સોના અને ચાંદીના સિક્કાનું પ્રમાણ 1:2 થાય છે. આ સંજોગોમાં નવા સિક્કા બાદ કુલ કેટલાં સિક્કા વ્યક્તિ | | | | |
|------|---|--|--|--|--|
| | (A) 60 | (B) 80 | | | |
| | (C) 90 | (D) 120 | | | |
| 073. | એક બગીચામાં વૃક્ષારોપણ બગીચાના 1000 વૃક્ષોના કું હોય તો વધારાના કેટલા વૃક્ષોના કુંડાની જરૂર પડશે ? | ડુડા છે. જો ઉભી અને આડી હરોળમાં સરખી સંખ્યામાં વૃક્ષો મુકવાના | | | |
| | (A) 14 | (B) 16 | | | |
| | (C) 24 | (D) 32 | | | |
| 074. | એક યુદ્ધ મેદાનમાં 1000 સૈનિકોને 30 દિવસ ચાલે તે ખોરાક બધા સૈનિકોને કેટલા દિવસ ચાલશે ? | ટલો ખોરાક છે. દર દિવસ બાદ 1000 નવા સૈનિકો આવવાથી બાકી | | | |
| | (A) 30 દિવસ | (B) 40 દિવસ | | | |
| | (C) 20 દિવસ | (D) 10 દિવસ | | | |
| 075. | બાળકની ઉંમર કરતા તેના પિતાની ઉંમર 9 (નઉ) ગર્ણ વધારે છે. જો માતા - પિતાની ઉંમરનો સરવાળો 68 વ | ો વધારે છે અને માતાની ઉંમર બાળકની ઉંમર કરતા 8 (આઠ) ગણી ર્ષ હોય તો બાળકની ઉંમર કેટલી હશે ? | | | |
| | (A) 4 વર્ષ | (B) 5 વર્ષ | | | |
| | (C) 6 વર્ષ | (D) 7 વર્ષ | | | |
| 076. | એક ચોરસની પરિમિતિ 50 મીટર છે પહોળાઈ કરતા હશે ? | લંબાઈ 13 મીટર વધારે છે. આ સંજોગોમાં ચોરસનું ક્ષેત્રફળ કેટલું | | | |
| | (A) 124 ચો. મીટર | (B) 144 ચો. મીટર | | | |
| | (C) 114 ચો. મીટર | (D) 104 ચો. મીટર | | | |
| 077. | | | | | |
| | (A) 20 સેકન્ડ | (B) 30 સેકન્ડ | | | |
| | (C) 40 સેકન્ડ | (D) 50 સેકન્ડ | | | |
| 078. | જ્યારે સૂર્યપ્રકાશ વરસાદના છાટા ઉપર પડે છે ત્યારે મે છે ? | ોઘ ધનુષની રચના થાય છે. આ વખતે નીચેના પૈકી કઈ બાબતો બન <mark>ે</mark> | | | |
| | 1. વિક્ષેપ — Dispersion 2. પ્રત્યાયન — Refi | raction 3. આંતરિક પ્રતિબિંબ – Internal Reflection | | | |
| | (A) માત્ર 1 અને 2 | (B) માત્ર 1 અને 3 | | | |
| | (C) માત્ર 2 અને 3 | (D) 1, 2 અને 3 બધીજ બાબતો | | | |
| 079. | અવાજ (Noise)નું પ્રમાણ જ્યારે 100 ડેસીબલ (Decible) હોય ત્યારે તે અવાજ નીચેના પૈકી કોના સમાન હોય છે ? | | | | |
| | (A) સામાન્ય રીતે સાંભળી શકાય તેવી વાતચીત | (B) મોટેથી થતી વાતચીત | | | |
| | (C) ભીડવાળી ગલીના અવાજ જેવી | (D) મશીન શૉપ (Machnine shop)ના અવાજ જેવી | | | |
| 080. | ઘરનું વિજળીનુ વાયરીંગ (Domestic electrical w | — iring) કયા પ્રકારનું હોય છે ? | | | |
| | (A) સીરીઝ કનેક્શન — Series Connection | | | | |
| | B) પેરેલલ કનેક્શન – Parallel Connection | | | | |
| | (C) સીરીઝ અને પેરેલલ કનેક્શનનું મિશ્રણ – Con | nbination of Series and parallel connections | | | |
| | (D) દરેક રૂમમાં સીરીઝ કનેક્શન અને રૂમની બહાર પેરેલલ કનેક્શન | | | | |

| 081. | નીચેના પૈકી કોનું સરેરાશ અંતર માપવા એક એઃ આવે છે ? | સ્ટ્રૉનૉમિકલ યુનીટ (One astronomical unit) નો ઉપયોગ કરવામાં | | | |
|------|---|--|--|--|--|
| | (A) સૂર્ય અને પૃથ્વી | (B) પૃથ્વી અને ચંદ્ર | | | |
| | (C) ગુરૂ અને સૂર્ય | (D) શુક્ર અને સૂર્ય | | | |
| 082. | ન્યુકલીયર રીએક્ટર (Nuclear reactor) ના બ | · / 3 | | | |
| | (A) કોબાલ્ટ — Cobalt | (B) નીકલ — Nickel | | | |
| | (C) ઝેરકોનિયમ – Zirconium | (D) ટંગસ્ટન — Tungsten | | | |
| 083. | | andla plant fossils national park) કયા રાજ્યમાં આવેલું છે ? | | | |
| | (A) ઉત્તર પ્રદેશ | (B) છત્તીસગઢ | | | |
| | (C) મધ્ય પ્રદેશ | (D) હિમાચલ પ્રદેશ | | | |
| 084. | — ભારતમાં નીચેના પૈકી કઈ પ્રાણિસૃષ્ટિ સ્થાનિક છે | ? | | | |
| | 1. નીલગીરી લંગુર – Nilgiri Langur | | | | |
| | 2. નમઢાપા ઉડતી ખિસકોલી – Namdhapa | flying squirrel | | | |
| | 3. જાંબલી દેડકા — Purple frog western g | ghats | | | |
| | (A) માત્ર 1 અને 2 | (B) માત્ર 2 અને 3 | | | |
| | (C) માત્ર 1 અને 3 | (D) 1, 2 અને 3 | | | |
| 085. | ધી ગ્લોબલ ઈનીશીયેટીવ ઑન ડીઝાસ્ટર રીસ્ક મેન | ધી ગ્લોબલ ઈનીશીયેટીવ ઑન ડીઝાસ્ટર રીસ્ક મેન્જમેન્ટ (The Global Initiative on Disaster Risk Management | | | |
| | (GIDRM)), ની પહેલ કયા દેશે કરેલ હતી ? | | | | |
| | (A) જર્મન સરકાર | (B) સ્વીસ સરકાર | | | |
| | (C) જાપાન સરકાર | (D) અમેરીકન સરકાર | | | |
| 086. | કર્નાટક સરકાર દ્વારા હાલમાં હવેરી રેલ્વે સ્ટેશન (Haveri Railway Station) નું નામ બદલીને કયા સ્વતંત્ર વીરનુ નામ રેલ્વે સ્ટેશનને આપેલ છે ? | | | | |
| | (A) અરસીકરી રેલ્વે સ્ટેશન (Arsikere Railway Station) | | | | |
| | (B) મૈસુરૂ રેલ્વે સ્ટેશન (Mysuru Railway Station) | | | | |
| | C) મહાદેવપ્પા મૈલારા રેલ્વે સ્ટેશન (Mahadevappa Mailara Railway Station) | | | | |
| | (D) બનારસ રેલ્વે સ્ટેશન (Banaras Railway | y Station) | | | |
| 087. | 2020 ની એશીયા પેસીફીક ઈકૉનોમીક કો-ઓપ દેશ યજમાન (હોસ્ટ - Host) હતો ? | રેશન (Asia - Pacific Economic Co-operation 2020) માટે કયો | | | |
| | (A) ઈન્ડોનેશીયા | (B) મલેશીયા | | | |
| | (C) ભારત | (D) નેપાલ | | | |
| 088. | નીચેના પૈકી કયા ટાયગર રીઝર્વને (Tiger Rese | erve) TX-2 (ટી-એક્સ ટુ) ઈન્ટરનેશનલ એવાર્ડ મળેલ છે ? | | | |
| | (A) કોર્બેટ ટાયગર રીઝર્વ (Corbeet) | (B) બાંદીપુર ટાયગર રીઝર્વ (Bandipur) | | | |
| | (C) કાન્હા ટાયગર રીઝર્વ (Kanha) | D) પીલીભીત ટાયગર રીઝર્વ (Pillibhit) | | | |
| 089. | નીચેની પૈકી કઈ સંસ્થા દ્વારા વિશ્વ વારસો સપ્તાહ | ક (World heritage week) ઉજવે છે ? | | | |
| | (A) UNICEF | (B) World Bank | | | |
| | (C) UNESCO | (D) WHO | | | |
| 090. | • |) ને કારણે કયા રાજ્યો/કેન્દ્ર શાસિત પ્રદેશને નુકસાન થયેલ છે ? | | | |
| | (A) દિવ, દમણ અને ગોવા | (B) તામિલનાડુ અને પોંડીચેરી | | | |
| | (C) તામિલનાડુ અને કેરલા | (D) પોંડીચેરી અને કેરલા | | | |

| 091. | 91. નીચેના પૈકી કયા ભારતીય કાર્યક્રમને "48મો ઈન્ટરનેશનલ એમી એવોર્ડ 2020 (48th Internationa Emi 2020)" મળેલ છે ? | | | | |
|------|---|--|--|--|--|
| | (A) નીનગુઈમ તા ઉથાંડો (Ninguem Ta Othando) | | | | |
| | B) દિલ્હી ક્રાઈમ (Delhi Crime) | | | | |
| | — (C) ફોર મોર શોટ્સ પ્લીઝ (Four more shots | please) | | | |
| | (D) 'મેડ ઈન હેવન' (Made in Heaven) | | | | |
| 092. | નીચેના પૈકી હાલમાં કઈ સંસ્થા દ્વારા સ્ટાર્ટઅપ યોજના હેઠળ "નેનોસેફ ભારતનું પ્રથમ શુન્ય આલ્કોહોલ ધરાવતુ સેનીટાઈઝર" બનાવેલ છે ? | | | | |
| | (A) IIT કાનપુર — IIT Kanpur | (B) IIT મદ્રાસ – IIT Madras | | | |
| | (C) IIT ખરગપુર – IIT Kharagpur | D) IIT દિલ્હી — IIT Delhi | | | |
| 093. | નીચેના પૈકી કયા દેશે જૉન કેરી (John Kerry) ને | પૂર્ણ સમયના ક્લાયમેટ લીડર તરીખે નિયુક્ત કરેલ છે ? | | | |
| | (A) ન્યઝીલેન્ડ (New Zealand) | (B) ચીન (China) | | | |
| | (C) યુનાઈટેડ સ્ટેસ ઑફ અમેરિકા (USA) | (D) ફ્રાન્સ (France) | | | |
| 094. | દર વર્ષે "મીલ્ક ડે" (Milk Day) કયા દિવસે ઉજલ | નાય છે ? | | | |
| | (A) 24 નવેમ્બર | (B) 25 નવેમ્બર | | | |
| | (C) 26 નવેમ્બર | (D) 27 નવેમ્બર | | | |
| 095. | સને 2020માં "ગ્લોબર હંગર ઈન્ડેક્સ (Global Hunger Index - 2020)" મુજબ ભારત દેશ કયા સ્થાને છે ? | | | | |
| | (A) 94 | (B) 95 | | | |
| | (C) 96 | (D) 97 | | | |
| 096. | કેમ્બ્રીજ ડીક્સનરી (Cambridge Dictionary) દ્વ કયા શબ્દને માન્યતા આપેલ છે ? | ારા "વર્ડ ઑફ ધી ઈયર 2020 (Word of the year 2020)" તરીકે | | | |
| | (A) પેન્ડેમીક (Pandemic) | (B) ક્વૉરનટાઈન (Quarantine) | | | |
| | (C) કોવીડ-19 (Covid-19) | (D) લૉક ડાઉન (Lock down) | | | |
| 097. | પ્લાસ્ટીકના કચરાનો ઉપયોગ કરીને (Use of plas | stic waste) કયા શહેરમાં રસ્તાનું નિર્માણ શરૂ કરવામાં આવેલ છે ? | | | |
| | (A) બેંગલુરૂ | (B) લખનઉ | | | |
| | (C) કોલકત્તા | (D) રાંચી | | | |
| 098. | જંગલ નામા (Jungle Nama) પુસ્તકના લેખક કોણ છે ? | | | | |
| | (A) અમીતાવ ઘોષ (Amitav Ghosh) | (B) શશી થરૂર (Shashi Tharoor) | | | |
| | — (C) અરૂંધતી રૉય (Arundhati Roy) | (D) ચેતન ભગત (Chetan Bhagat) | | | |
| 099. | વર્ષ 2020માં માનવ વિકાસ સૂચકાંક (Human Development Index)માં ભારત કયા સ્થાન ઉપર છે ? | | | | |
| | (A) 128 | (B) 129 | | | |
| | (C) 130 | (D) 131 | | | |
| 100. | માઉન્ટ સીમેરૂ (Mount Semeru) જ્વાલામુખી ક | યા દેશમાં આવેલ છે ? | | | |
| | (A) જાપાન | (B) ઈન્ડોનેશીયા | | | |
| | (C) ચીલી | (D) ચીન | | | |

| 101. | Kubler Ross conceptualized five stages of grief: | | | | |
|------|--|--|--|--|--|
| | (A) Depression, anger, denial, bargaining, acceptance | | | | |
| | (B) Denial, Anger, bargaining, depression, acceptance | | | | |
| | (C) Acceptance, denial, anger, depression, | bargaining | | | |
| | (D) Bargaining, anger, depression, accepta | nce, denial | | | |
| 102. | Nosocomial infection is specifically an in- hospital admission | fection which occurs within how many hours after | | | |
| | (A) 24 hours | (B) 48 hours | | | |
| | (C) 72 hours | (D) 12hours | | | |
| 103. | All among these are high risk medication of | except, | | | |
| | (A) Amiodarone | (B) Vancomycin | | | |
| | (C) Hydrocortisone | (D) Insulin | | | |
| 104. | The nurse should be most alert for the con | nplication of hypokalemia at the point of | | | |
| | (A) Immediately following the injury | (B) During the fluid shift | | | |
| | (C) During fluid remobilization | (D) During the late acute phase | | | |
| 105. | In vertex presentation, the position is determined by the relationship of fetal part to mother's pelvis. | | | | |
| | (A) Mentum | (B) Sinciput | | | |
| | (C) Sacrum | (D) Occiput | | | |
| 106. | An abnormal sound heard on auscultation is term as | of the chest, a crackling, rattling or bubbling sound | | | |
| | (A) Stridor | (B) Rhonchus | | | |
| | (C) Rale | (D) Wheeze | | | |
| 107. | In the Johari Window, the information al yours | pout yourself that you don't know but others do is | | | |
| | (A) Open self | (B) Unknown self | | | |
| | (C) Hidden Self | (D) Blind self | | | |
| 108. | Consequences that discourage repetition of | f a particular behaviour are called | | | |
| | (A) Positive reinforcement | (B) Operant conditioning | | | |
| | (C) Extinction | (D) Negative reinforcement | | | |
| 109. | The concept of health which emphasizes the family in a sound environment is: | at health is a sound mind in a sound body in a sound | | | |
| | (A) Ecological concept | (B) Physical concept | | | |
| | (C) Psychological concept | (D) Holistic concept | | | |
| 110. | Maternal indication for induction of labor | is | | | |
| | (A) Post-term pregnancy | (B) Pre-term pregnancy | | | |
| | (C) Major degree placenta previa | (D) Major degree of cephalo-pelvic disproportion | | | |
| 111. | Examination of a patient in a supine posit the neck to the angle of the jaw. This findi | ion reveals distended jugular veins from the base of ng indicates: | | | |
| | (A) Decreased venous return. | | | | |
| | (B) Increased central venous pressure. | | | | |
| | (C) Increased pulmonary artery capillary | pressure. | | | |
| | (D) Left-sided heart failure. | | | | |

| 112. | 2. The vitamin deficiency is most likely to be a long-term consequence of a full-thickness injury | | | |
|------|---|---|--|--|
| | (A) Vitamin A | (B) Vitamin B | | |
| | (C) Vitamin C | (D) Vitamin D | | |
| 113. | The proper order of the cardinal move options | ements of labor(mechanism of labor) describes in the | | |
| | (A) Engagement, internal rotation, desc | cent, flexion | | |
| | (B) Engagement, external rotation, desc | cent, extension | | |
| | (C) Engagement, extension, internal ro | tation, flexion | | |
| | (D) Engagement, flexion, internal rotati | ion, extension, external rotation | | |
| 114. | The energy that supplies the electric shock for cardio version and defibrillation is measured in. | | | |
| | (A) Horsepower | (B) Volts | | |
| | (C) Kilowatts | (D) Joules | | |
| 115. | Normal reflex pattern at birth may incl | lude | | |
| | (A) Grasp reflex | (B) Moro's reflex | | |
| | (C) Rooting reflex | (D) All of the above | | |
| 116. | Within 3 minutes after birth the norma | l heart rate of the newborn may range between | | |
| | (A) 100 and 180 beats/min | (B) 130 and 170 beats/min | | |
| | (C) 120 and 160 beats/min | (D) 100 and 130 beats/min | | |
| 117. | After undergoing a left pneumonectomy, a female patient has a chest tube in place for drainage. When caring for this patient, the nurse must: | | | |
| | (A) Monitor fluctuations in the water-seal chamber | | | |
| | (B) Clamp the chest tube once every shift | | | |
| | (C) Encourage coughing and deep breathing | | | |
| | (D) Milk the chest tube every 2 hours | | | |
| 118. | Quality Council of India sponsored accreditation system for hospitals and health care providers: | | | |
| | (A) National Accreditation Board of Hospitals (NABH) | | | |
| | (B) Joint Commission International (JCI) | | | |
| | (C) Bureau of Indian Standards (BIS) | | | |
| | (D) National Accreditation Board for E | ducation and Training (NABET) | | |
| 119. | All of the following contribute to perce | ptual problems except | | |
| | (A) Denial | (B) Inclusion | | |
| | (C) Stereotyping | (D) The halo effect | | |
| 120. | A cyst in the middle ear lined with squa | amous epithelium and filled with keratin debris is called | | |
| | (A) Tympanosclerosis | (B) Exostosis | | |
| | (C) Cholesteatoma | (D) Cerumen | | |
| 121. | Approaches for a Quality assurance pro | ogram are: | | |
| | (A) General approach | (B) Specific approach | | |
| | (C) Both (A) and (B) | (D) Complex approach | | |
| 122. | One among the following is a character | ristic of qualitative research | | |
| | (A) Control over the context | (B) Fixed research design | | |
| | (C) Deductive process | (D) Inductive process | | |

| 123. | The maximum volume of air that can be released from the lungs by forceful expiration after deepest inspiration is called | | |
|------|--|---|--|
| | (A) Total lung capacity | (B) Vital capacity | |
| | (C) Tidal volume | (D) Ventilation rate | |
| 124. | Mission Indradhanush is related with. | | |
| | (A) Children Safety | (B) E-Commerce | |
| | (C) Child Vaccination | (D) None of the above | |
| 125. | With reference to elements of administra | ation, POSDCORB stands for: | |
| | (A) Planning, observing, staffing, directing, controlling, reporting & budgeting. | | |
| | (B) Preparation, organizing, staffing, directing, controlling, reporting & budgeting. | | |
| | (C) Planning, organizing, staffing, directing, coordinating, reporting and budgeting. | | |
| | (D) Preparation, observing, staffing, directing, coordinating, reporting & budgeting. | | |
| 126. | In cold chain process the walk in cold ro | om stores vaccines up to months | |
| | (A) 4 months | (B) 6 months | |
| | (C) 3 months | (D) 1 month | |
| 127. | The nurse is assessing a postoperative adult patient. One among the following should the nurse document as subjective data | | |
| | (A) Vital signs | (B) Laboratory test result | |
| | (C) Patient's description of pain | (D) Electrocardiographic (ECG) waveform | |
| 128. | Action is most important during bladder training in a patient with a neurogenic bladder is | | |
| | (A) Encourage the use of an indwelling urinary catheter | | |
| | (B) Set up specific times to empty the bladder | | |
| | (C) Encourage Kegel exercises | | |
| | (D) Force fluids | | |
| 129. | These are domains of learning except | | |
| | (A) Cognitive | (B) Affective | |
| | (C) Affirmative | (D) Psychomotor | |
| 130. | Tricuspid atresia is a congenital heart di | sease of | |
| | (A) Acyanotic defects | (B) Cyanotic defects | |
| | (C) Both (A) and (B) | (D) None of the above | |
| 131. | When instead of true vocal cords, false vocal cord produce voice this is called | | |
| | (A) Aphonia | (B) Puberphonia | |
| | (C) Resonance disorder | (D) Ventricular dysphonia | |
| 132. | Types of Telemedicine: | | |
| | (A) One shot | (B) Real time | |
| | (C) Store and forward | D) Both (B) and (C) | |
| 133. | The epidemiological surveillance can be | done at the following level except: | |
| | (A) Individual / family surveillance | (B) Local population surveillance | |
| | (C) Public surveillance | (D) International surveillance | |
| 134. | Adaptation model was given by: | | |
| | (A) Sr. Callista Roy | (B) Betty Neumann | |
| | (C) Martha Rogers | (D) Myra Levine | |

| 135. | Citation means a particular paper has been | | | |
|------|--|---------------------------------------|--|--|
| | (A) Reproduced elsewhere | | | |
| | (B) Discussed orally by another author | | | |
| | (C) Quoted in another paper by another | author | | |
| | (D) Sold to another publisher | | | |
| 136. | Adjuvant used in DPT vaccine is: | | | |
| | (A) Zinc phosphate | (B) Aluminum phosphate | | |
| | (C) Aluminum hydroxide | (D) Both (B) and (C) | | |
| 137. | Baby with birth weight of 1000-2000 gm are termed as: | | | |
| | (A) Low birth weight babies | (A) Low birth weight babies | | |
| | (B) Very low birth weight babies Low birth weight babies | | | |
| | (C) Small for date baby | | | |
| | (D) Extremely low birth weight babies | | | |
| 138. | Commonest side effect of copper-T is: | Commonest side effect of copper-T is: | | |
| | (A) Pain | (B) Bleeding | | |
| | (C) Vaginal discharge | (D) Pelvic inflammation | | |
| 139. | A nurse is suctioning fluids from a male client via a tracheostomy tube. When suctioning, the nurse must limit the suctioning time to a maximum of | | | |
| | (A) 1 minute | (B) 5 seconds | | |
| | (C) 10 seconds | (D) 30 seconds | | |
| 140. | One among of the following method of inventory control, the items are classified on the basis of rate of consumption | | | |
| | (A) ABC analysis | (B) HML analysis | | |
| | (C) FSN analysis | (D) VED analysis | | |
| 141. | A critical aspect of beginning a database search for relevant literature on topic to interest involves identifying: | | | |
| | (A) Reference management software | (B) Electronic journals | | |
| | (C) Keywords | (D) Existing knowledge | | |
| 142. | The primary consideration when preparing to administer thrombolytic therapy to a patient who is experiencing an acute myocardial infarction (MI). | | | |
| | (A) History of heart disease. | (B) Sensitivity to aspirin. | | |
| | (C) Size and location of the MI. | (D) Time since onset of symptoms. | | |
| 143. | One among the following disease are related to Corona Virus | | | |
| | (A) MERS | (B) SARS | | |
| | (C) Both (A) and (B) | (D) None of the above | | |
| 144. | The correct order to remove PPE(Personal Protective Equipment) is | | | |
| | (A) Gloves first, apron second, mask and finally eye protection if worn | | | |
| | (B) Apron first, gloves second, mask and finally eye protection if worn | | | |
| | (C) Eye protection, mask if worn, apron | and finally gloves | | |
| | (D) It doesn't matter in what order they are removed | | | |

| 145. | The nurse teaches the client with a urinary diversion to attach the appliance to a standard urine collection bag at night. The most important reason for doing this is to prevent | | |
|------|---|--|--|
| | (A) Urine reflux into the stoma | (B) Appliance separation | |
| | (C) Urine leakage | (D) The need to restrict fluids | |
| 146. | A form of treatment that utilizes behavioral | principles to eliminate unwanted behavior is | |
| | (A) Cognitive behavior therapy | (B) Aversion therapy | |
| | (C) Implosive therapy | (D) Integrative therapy | |
| 147. | A way of expressing the meaning of something written or spoken using different words, especially to achieve greater clarity is termed as: | | |
| | (A) Rephrasing | (B) Paraphrasing | |
| | (C) Reflecting | (D) Focusing | |
| 148. | Select one of the following statements is correct | | |
| | (A) A person with myopia can see distant ol | ojects clearly | |
| | (B) A person with hypermetropia can see no | earby objects clearly | |
| | (C)A person with myopia can see nearby ol | bjects clearly | |
| | (D) A person with hypermetropia cannot see | e distant objects clearly | |
| 149. | A systematic review is best described as critical analysis of: | | |
| | (A) All available literature | | |
| | (B) Current critical guidelines on a specific topic | | |
| | (C) All available research studies on a specific topic | | |
| | (D) All validation studies | | |
| 150. | A way of verifying nasogastric tube placement at bedside except | | |
| | (A) Aspirating stomach contents and measuring pH | | |
| | (B) Injecting air into the NG tube and auscultating or asking client to speak | | |
| | (C) Palpate tube placement | | |
| | (D) Put end of the tube into water and look for bubbling air | | |
| 151. | Normal range of serum calcium is: | | |
| | (A) 8.6-10.3 mg/dl | (B) 8-9 mg/dl | |
| | (C) 8.5-10 mg/dl | (D) 8.4-9.5 mg/dl | |
| 152. | Curriculum emphasized on Erikson's theor | ies is | |
| | (A) A Direct instruction curriculum | (B) Psychosocial curriculum | |
| | (C) Cognitive curriculum | (D) Behavioral curriculum | |
| 153. | Time period between infection and detection of antibodies against HIV is known as: | | |
| | (A) Acute Infection | (B) Chronic infection | |
| | (C) Active HIV | (D) Window period | |
| 154. | A nurse is caring for a client who had spontaneous abortion. The complication which the nurse assess the client | | |
| | (A) Hemorrhage | (B) Dehydration | |
| | (C) Hypertension | (D) Sub involution | |
| 155. | Nephrotic syndrome is characterized by | | |
| | (A) Hematuria, protrnuria, hypertension | (B) Pyuria, oliguria, hematuria | |
| | (C) Hematuria, azotemia, hypertension | (D) Protenuria, edema, hyperlipidemia | |

| 156. | The group efforts required to achieve a common organizational goals: | | |
|------|---|--|--|
| | (A) Supervision | (B) Direction | |
| | (C) Coordination | (D) Organization | |
| 157. | Demonstration method of teaching is more effective than video assisted teaching to teach nursing procedures is an example of: | | |
| | (A) Directional hypothesis | (B) Complex hypothesis | |
| | (C) Non-directional hypothesis | (D) Null hypothesis | |
| 158. | The most commonest site for peptic ulcer is | | |
| | (A) Esophagus | (B) Duodenum | |
| | (C) Fundus | (D) None of the above | |
| 159. | The major purpose of Hospital informat patient care administration by: | ion system is to achieve the best possible support of | |
| | (A) Use of information technology | (B) Personal health record | |
| | (C) Nursing process | (D) Electronic data processing | |
| 160. | | veral rounds of questionnaires are mailed to panel of gement concerning a specific topic of interest is: | |
| | (A) Focus group interview | (B) Meta-analysis | |
| | (C) Delphi technique | (D) Systematic analysis | |
| 161. | One among the following confirmed value | es meet the diagnostic threshold for diabetes | |
| | (A) Fasting blood glucose 140 mg/dl | (B) Fasting blood glucose ≥ 126 mg/dl | |
| | (C) Random glucose > 160 mg/dl | (D) 2 hour post prandial glucose \geq 126 mg/dl | |
| 162. | The most important nursing diagnosis for a patient in end-stage renal disease. | | |
| | (A) Risk for injury | | |
| | (B) Fluid volume excess | | |
| | (C) Altered nutrition: less than body requirements | | |
| | (D) Activity intolerance | | |
| 163. | The alternate forms of a gene is called | | |
| | (A) Alternate gene | (B) Recessive character | |
| | (C) Dominant character | (D) Alleles | |
| 164. | A nurse explain to a client with cervical erosion that early treatment of the erosion can help to prevent | | |
| | (A) Cancer of the cervix | (B) Pelvic inflammatory disease | |
| | (C) Unexpected vaginal bleeding | (D) More erosion from occurring | |
| 165. | National Health Policy 2002, includes the following goals to be achieved by 2015 except | | |
| | (A) Eliminate Leprosy | (B) Eliminate kala - azar | |
| | (C) Eliminate TB | (D) Eliminate Polio | |
| 166. | The risk factor for type II diabetes mellit | sus include | |
| | (A) Family history | (B) Being overweight | |
| | (C) High intake of dietary fast | (D) All of the above | |
| 167. | At what age does Freud's phallic stage of psychosexual development compare with Erickson psychological phase of initiative versus guilt | | |
| | (A) Adolescence | (B) 6 to 12 years | |
| | (C) 3 to 5½ years | (D) Birth to 1 year | |

| | (A) It was conducted by a reputable rese | archer who can be trusted | |
|------|---|--|--|
| | (B) The measures devised for concepts a | re stable on different occasions | |
| | (C) The findings can be generalized to ot | ther social settings | |
| | (D) The methods are stated clearly enoug | gh for the research to be replicated | |
| 169. | • | stained a head injury 24 hours ago, the medical-surgical beech and disorientation to time and place. The nurse's | |
| | (A) Continue the hourly neurologic asses | ssments. | |
| | (B) Inform the neurosurgeon of the patie | ent's status. | |
| | (C) Prepare the patient for emergency surgery. | | |
| | (D) Recheck the patient's neurologic state | rus in 15 minutes | |
| 170. | The placebo effect means | | |
| | (A) The belief that a substance is having | an effect even when it isn't | |
| | (B) An inactive substance or fake treatm | ent produces a response in the patient | |
| | (C) A substance has an enhanced effect of | n a patient due to their belief in its efficacy | |
| | (D) A substance that fails to work on a patient because of their beliefs about its efficacy | | |
| 171. | The method that involves the collection, | organization and analysis of numerical data: | |
| | (A) Measurement | (B) Statistics | |
| | (C) Assessment | (D) Test | |
| 172. | Education acquired without any specific | purpose, fixed period and places is | |
| | (A) Indirect Education | (B) Individual Education | |
| | (C) Informal Education | (D) Formal Education. | |
| 173. | SWOT stands for | | |
| | (A) Strengths, weaknesses, opportunities and threat | | |
| | (B) Society, Women, Old people and Teens | | |
| | (C) Social, Work, Outside and Time | | |
| | (D) Society, Weaknesses, Opportunities a | and Time | |
| 174. | The safest position of a woman in labour when a nurse observes a prolapsed cord | | |
| | (A) Prone | (B) Fowler | |
| | (C) Lithotomy | (D) Trendelenburg | |
| 175. | Removal of bladder calculi through a suprapubic incision is called | | |
| | (A) Cystolithotomy | (B) Nephrectomy | |
| | (C) Percuteneous stone dissolution | (D) Percutaneous Nephrolithotomy | |
| 176. | Asha worker covers a population of | | |
| | (A) 1000 | (B) 2000 | |
| | (C) 3000 | (D) 4000 | |
| 177. | A nurse best approach when caring for a confused, older client is to provide an environmen with | | |
| | (A) Space for privacy | (B) Group involvement | |
| | (C) Trusting relationship | (D) Activities that are varied | |

If a study is "reliable", this means that

168.

| 178. | Blindness, deafness, cognitive deficits, heart defects, cerebral palsy and Microcephaly in infants may arise due to which maternal condition | | |
|------|--|-------------------------------------|--|
| | (A) Rubella | (B) Chickenpox | |
| | (C) Herpes | (D) AIDS | |
| 179. | Diabetes insipidus result from | | |
| | (A) Hyposecretion of insulin | (B) Hypersecretion of insulin | |
| | (C) Hypersecretion of ADH | (D) Hyposecretion of ADH | |
| 180. | Truth-telling about the disease and its prognosis to terminally ill patients to such situation ethical principle be followed by a nurse | | |
| | (A) Confidentiality | (B) Fidelity | |
| | (C) Justice | (D) Veracity | |
| 181. | GOBI provide primarily | | |
| | (A) Confirmatory data | (B) Qualitative data | |
| | (C) Predictive data | (D) None of the above | |
| 182. | The in-service teacher' training can b | e made more effective by | |
| | (A) Using training package which in well prepared in advance | | |
| | (B) Making it a residential programme | | |
| | (C) Using co-operative approach | | |
| | (D) Practicing training follow-up procedures | | |
| 183. | The theory defines nursing as the science and practice that expands adaptive abilities and enhances person and environment transformation | | |
| | (A) Goal attainment Theory | (B) Henderson definition of nursing | |
| | (C) Roy's adaptation model | (D) Faye Glen Abdellah's Theory | |
| 184. | During which week of gestation would you expect a nulliparous woman begin to feel fetal movements | | |
| | (A) 22-24weeks | (B) 10-12 weeks | |
| | (C) 14-16 weeks | (D) 18-20 weeks | |
| 185. | GOBI campaign is promoted by | | |
| | (A) UNICEF | (B) FAO | |
| | (C) WHO | (D) UNDP | |
| 186. | A client expresses the belief that armed forces are out to kill him. This is an example of | | |
| | (A) Hallucinations | (B) Delusion of persecution | |
| | (C) Delusion of infidelity | (D) Derealization | |
| 187. | The physical manifestations of fetal alcohol syndrome include | | |
| | (A) Cleft lip and palette | | |
| | (B) Hepatomegaly, hypotonia, and microphthalmia | | |
| | (C) Hyperbilirubinemia, jaundice, and failure to thrive | | |
| | (D) Microcephaly, short philtrum, and prenatal growth retardation | | |
| 188. | Stage II of anesthesia is referred to as | | |
| | (A) Stage of amentia | (B) Stage of excitement | |
| | (C) Stage of surgery | (D) Overdose stage | |

| 189. | Collaboration in providing care to a group of patients under the direction of a professional nurse is | | | |
|------|--|---|--|--|
| | (A) Case method. | (B) Primary method. | | |
| | (C) Team method. | (D) Modular method. | | |
| 190. | The correct procedure for collecting a sput | tum specimen for culture and sensitivity testing is | | |
| | (A) Have the patient place the specimen in a container and enclose the container in a plastic bag | | | |
| | (B) Have the patient expectorate the sputum while the nurse holds the container | | | |
| | (C) Have the patient expectorate the sputu | m into a sterile container | | |
| | (D) Offer the patient an antiseptic mouthw | (D) Offer the patient an antiseptic mouthwash just before he expectorate the sputum | | |
| 191. | An epidemic that becomes unusually wides | pread and even global in its reach is referred to as a | | |
| | (A) Pandemic | (B) Hyper endemic | | |
| | (C) Spanish flu | (D) Epidemic | | |
| 192. | The following method is the correct way to | calculate the estimated date of delivery (EDD) | | |
| | (A) First day of last menstrual period (LM | P) + 8 months and 1 week | | |
| | (B) First day of LMP + 9 months and 1 wee | ek | | |
| | (C) Last day of LMP + 8 months and 1 week | | | |
| | (D) First day of LMP + 9 months | | | |
| 193. | Primary prevention means measure taken t | to prevent the occurrence of disease | | |
| | (A) After the initiation of disease | (B) Before the occurrence of disease | | |
| | (C) After the disease is being complicated | (D) None of the above | | |
| 194. | A nurse is teaching clients who is taking clozapine (clozaril) for paranoid schizophrenia. The side effect that nurse should emphasize is | | | |
| | (A) Risk for falls | (B) Inability to sit still | | |
| | (C) Increase in temperature | (D) Dizziness upon standing | | |
| 195. | After receiving an immunization for diphtheria, tetanus, and pertussis, a patient develops swelling and tenderness at the injection site, a low-grade fever, and malaise, The pediatric nurse informs the patient's parents that | | | |
| | (A) The reaction is severe enough that they should bring the patient to an emergency department. | | | |
| | (B) They should delay future immunizations until the patient sees an allergist. | | | |
| | (C) This is a mild reaction, and teaches them how to manage it. | | | |
| | (D) This is an appropriate reaction, and instructs them to do nothing. | | | |
| 196. | The daily dietary allowances recommended | l for a pregnant mother is | | |
| | (A) 2200 kcal | (B) 1200 kcal | | |
| | (C) 2500 kcal | (D) 2800 kcal | | |
| 197. | All of the following is Personnel employment policies except | | | |
| | (A) Hiring new employees. | | | |
| | (B) Health care programs. | | | |
| | (C) Promotion or reward of the present employees. | | | |
| | (D) Termination of present employees. | | | |
| 198. | Measures not arranged in any meaningful manner | | | |
| | (A) Discrete Data | (B) Random Variable | | |
| | (C) Grouped Data | (D) Ungrouped Data | | |

| 199. | The factor is important in controlling the synthesis and secretion of aldosterone is | | | |
|------|---|---|--|--|
| | (A) Renin | (B) Angiotensin II | | |
| | (C) Concentration of plasma Na+ | (D) Adrenocorticotropic hormone (ACTH) | | |
| 200. | Andragogy refers to | | | |
| | (A) Adult learning | (B) Action Learning | | |
| | (C) Experiential learning | (D) Child learning | | |
| 201. | The tendency of an offspring to resemble | The tendency of an offspring to resemble its parent is known as | | |
| | (A) Variation | (B) Heredity | | |
| | (C) Resemblance | (D) Inheritance | | |
| 202. | Ectopic pregnancies are referred as | | | |
| | (A) Pregnancies with genetic abnormality | | | |
| | (B) Implantation of embryo at site other than uterus | | | |
| | (C) Implantation of defective embryo in | the uterus | | |
| | (D) Pregnancies terminated due to the h | ormonal imbalance | | |
| 203. | For Mantoux test, the standard dose of tuberculin used in India is | | | |
| | (A) 0.5 TU | B) 1.0 TU | | |
| | (C) 5.1 TU | (D) 10.0 TU | | |
| 204. | The severe feeling of restlessness produced by some psychotropic medications, which is often misinterpreted by patients as anxiety or a recurrence of psychiatric symptoms, is known as | | | |
| | (A) Akathisia. | (B) Akinesia. | | |
| | (C) Bradykinesia. | (D) Dystonia. | | |
| 205. | The word "Pedagogy" means | | | |
| | (A) to guide the child | (B) to lead the child | | |
| | (C) to educate the child | (D) to understand the child | | |
| 206. | Following is not included in Standard Infection Control Precautions | | | |
| | (A) Management of blood and bodily fluid spillage | | | |
| | (B) Patient's personal hygiene | | | |
| | (C) Safe handling of linen | | | |
| | (D) Cleanliness of care equipment | | | |
| 207. | The hierarchy of authority is related to | | | |
| | (A) Division of labor | (B) Structure | | |
| | (C) Personnel ratios | (D) Span of control | | |
| 208. | The opening in the fetal heart that allows blood to move directly from the right to the left atrium | | | |
| | (A) Umbilical Artery | (B) Umbilical Vein | | |
| | (C) Pulmonary Bypass | (D) Foramen Ovale | | |
| 209. | An impact rating for a journal is | | | |
| | (A) The number of Paper published each year | | | |
| | (B) The maximum number of pages it allowed per paper | | | |
| | (C) The number of papers it rejects each year | | | |
| | (D) None of the above | | | |

| 210. | Normai numan eggs nave | | |
|------|--|--|--|
| | (A) 22 autosomes and X chromosome. | (B) 22 autosomes and Y chromosome. | |
| | (C) 23 autosomes. | (D) 46 chromosomes. | |
| 211. | The glomerular filtration rate will increase | se if | |
| | (A) Circulating blood volume increase. | | |
| | (B) The afferent arteriolar resistance increases. | | |
| | (C) The efferent arteriolar resistance decreases. | | |
| | (D) The plasma protein concentration dec | ereases. | |
| 212. | Most serious adverse effect of menopause | | |
| | (A) Hot flashes | (B) Osteoporosis | |
| | (C) Heart disease | (D) Both (B) and (C) | |
| 213. | The following is not the main focus of RC | H phase-II programme | |
| | (A) Family Planning | (B) Essential obstetric carte | |
| | (C) Emergency obstetric care | (D) Strengthening referral system | |
| 214. | A short-term goal for a patient with Alzho | eimer's disease is | |
| | (A) Improved functioning in the least restrictive environment. | | |
| | (B) Improved problem solving in activities of daily living. | | |
| | (C) Increased self-esteem and improved self-concept. | | |
| | (D) Regained sensory perception and cognitive function. | | |
| 215. | The stage from 3 to 6 years is called | | |
| | (A) Early childhood | (B) Infancy | |
| | (C) Later childhood | (D) Pre-adolescence | |
| 216. | The following diseases is included in the umbrella term COPD: | | |
| | (A) Emphysema | (B) Chronic bronchitis | |
| | (C) Lung cancer | (D) Both (A) and (B) | |
| 217. | The organization is centralized, when the | decision making authority is kept at the | |
| | (A) Low level | (B) Personnel level | |
| | (C) Managerial level | (D) Top level | |
| 218. | A statistical index which describes the degree and direction of the relationship between two characteristics or variables is | | |
| | (A) Probability | (B) T test | |
| | (C) Mean | (D) Correlation | |
| 219. | One of the neurotransmitter receptor is co | ommonly lost in Alzheimer's disease is | |
| | (A) Serotonin | (B) Dopamine | |
| | (C) GABA | (D) Acetylcholine | |
| 220. | The rationale for the formative evaluation | of an educational activity | |
| | (A) To address the learner's progress throughout the activity | | |
| | (B) To check for adequacy of the program | objectives | |
| | (C) To examine achieved outcomes and in | npact | |
| | (D) To set direction for the future | | |

| 221. | Mitotic cell division results in two cells that have | | |
|------|---|---|--|
| | (A) n chromosomes and are genetically identical. | | |
| | (B) n chromosomes and are genetically different. | | |
| | (C) 2n chromosomes and are genetical | ally identical. | |
| | (D) 2n chromosomes and are genetical | ally different. | |
| 222. | Most common cause of Post-Partum | hemorrhage is | |
| | (A) Uterine atony | (B) Retained products | |
| | (C) Trauma | (D) Bleeding disorders | |
| 223. | The wounded victim is unable to wall and is unresponsive. The assigned tag | k, has respiratory rate of 12, capillary refill is 8 seconds, color wounded victim is | |
| | (A) Green | (B) Red | |
| | (C) Yellow | (D) Black | |
| 224. | Procedure involves staining microorg microorganism | anisms with a purple dye in order to better identify the | |
| | (A) Purple stain | (B) Positive stain | |
| | (C) Gram stain | (D) Negative Stain | |
| 225. | The actual achievements compared w | ith the objectives of the job is | |
| | (A) Job performance | (B) Job evaluation | |
| | (C) Job description | (D) None of the above | |
| 226. | Usually confidence intervals are set a | Usually confidence intervals are set at what figure | |
| | (A) 55% | (B) 100% | |
| | (C) 5% | (D) 95% | |
| 227. | The term used for normal respiratory | The term used for normal respiratory rhythm and depth in a client | |
| | (A) Eupnoea | (B) Apnea | |
| | (C) Bradypnea | (D) Tachypnea | |
| 228. | The main aim of Janani Suraksha Yojana is the programme | | |
| | (A) To provide pensions to widow women | | |
| | (B) To provide shelters to poor people | | |
| | (C) To encourage people to use safe sexual methods | | |
| | (D) Reducing maternal and neonatal mortality | | |
| 229. | Zika virus is related to the following | diseases | |
| | (A) Dengue | (B) Yellow fever | |
| | (C) Japanese encephalitis | (D) All of the above | |
| 230. | In Schizophrenia psychotic symptoms such as hallucination, delusion, disorganized speech and grossly disorganized or catatonic behaviors are known as | | |
| | (A) Positive symptoms | (B) Negative symptoms | |
| | (C) Mediating symptoms | (D) Catastrophic symptoms | |
| 231. | Intra-aortic balloon pump therapy is most often used in the management of | | |
| | (A) Congestive cardiac failure | (B) Cardiogenic shock | |
| | (C) Pulmonary edema | (D) Aortic Insufficiency | |

| 232. | According to Piaget's theory of cognitive development, the Formal operational stage starts at | | |
|------|---|--|--|
| | age | (D) 10 years | |
| | (A) 12 years | (B) 10 years | |
| 222 | (C) 8 years | (D) 6 years | |
| 233. | When a health care professional is inserting | | |
| | (A) Antecubital fossa | (B) Upper arm | |
| | (C) Forearm | (D) Hand (Dorsal arch veins) | |
| 234. | A style of leadership that takes account of ot | • | |
| | (A) Laissez – faire | (B) People – oriented | |
| | (C) Democratic | (D) Autocratic | |
| 235. | A group of disorders of cerebral functions nonsynchronous discharges of cerebral neuronsynchronous discharges of cerebral neuronsynchronous discharges of cerebral neuronsynchronous discharges of cerebral functions | characterized by chronic recurrent paroxysmal, ons is called | |
| | (A) Seizures | (B) Convulsions | |
| | (C) Epilepsies | (D) All of the above | |
| 236. | The difference between the mean of a researce sample is known as the | her's sample and the mean of the population of the | |
| | (A) Significance level. | (B) Confidence interval | |
| | (C) Sampling error | (D) Standard deviation | |
| 237. | A placental abnormality in which the umbilical cord is inserted at or near the placental margin rather than in the center is termed as: | | |
| | (A) Velamentous insertion of cord | (B) Circumvallate placenta | |
| | (C) Battledore placenta | (D) Placenta Accreta | |
| 238. | Skin breaks, abrasion, blister, or shallow crater, edema, and infection are characteristics of | | |
| | (A) Stage I pressure ulcer | (B) Stage II pressure ulcer | |
| | (C) Stage III pressure ulcer | (D) Stage IV pressure ulcer | |
| 239. | The length of fallopian tube is | | |
| | (A) 8-10 cm | (B) 10-12 cm | |
| | (C) 15 cm | (D) None of the above | |
| 240. | The sustainable development goals (SDGs) w | ill replace the MDGs next year proposed SDGs are | |
| | (A) 37 | (B) 27 | |
| | (C) 17 | (D) 7 | |
| 241. | The name Freud give to his model of the min | d which comprised the Id, Ego and Superego: | |
| | (A) Genetic Model | (B) Unconscious model | |
| | (C) Structural model | (D) Topographical model | |
| 242. | The victim has pale or bluish skin color, cold skin, and dull or sunken eyes. These are symptoms of which health emergency | | |
| | (A) High fever | (B) Shock | |
| | (C) Heart attack | (D) None of the above | |
| 243. | Internal reliability is | (D) Note of the above | |
| | (A) About the increase or decrease in scores over time. | | |
| | (B) About how a single individual's scores re | | |
| | | | |
| | (C) About how consent all of the items in a scale measure the concept in question. (D) About the consistency of a measure taken at two different points in time. | | |

| 244. | Performance appraisal is useful for determining the employees | | |
|------|--|---|--|
| | (A) Retention | (B) Promotion | |
| | (C) Training | (D) All of the above | |
| 245. | The most common cause of miscarriage | | |
| | (A) Excessive exercising with a elevated heart rate | | |
| | (B) Undiagnosed type 2 diabetes in the m | nother | |
| | (C) Alcohol abuse during the first weeks | of pregnancy | |
| | (D) Improper development due to genetic | e factors | |
| 246. | The Global Fund to Fight AIDS, Tuberculo by | osis and malaria (GFATM) project in India was initiated | |
| | (A) UNICEF and NACO | (B) INC and NACO | |
| | (C) USAID and NACO | (D) USAID and INC | |
| 247. | The defense mechanism in which people | goes back to childhood practice | |
| | (A) Rationalization | (B) Projection | |
| | (C) Repression | (D) Regression | |
| 248. | Molly, with suspected rheumatic fever, is admitted in the pediatric unit. when obtaining the child's history, the nurse considers the information to be most important | | |
| | (A) A fever that started 3 days ago | (B) Lack of interest in food | |
| | (C) A recent episode of pharyngitis | (D) Vomiting for 2 days | |
| 249. | The color coding of the bag used in hospital to dispose off human anatomical waste such as body | | |
| | parts | | |
| | (A) Yellow | (B) Black | |
| | (C) Red | (D) Blue | |
| 250. | The statements below defines a type two error is | | |
| | (A) A type two error occurs when you accept a null hypothesis which is false. | | |
| | (B) A type two error occurs when you reject a research hypothesis which is true. | | |
| | (C) A type two error occurs when you fail to reject a false null hypothesis. | | |
| | (D) All of the above. | | |
| 251. | Patient fall resulting in hip fracture is a | | |
| | (A) Sentinel event | (B) Near miss | |
| | (C) Minor adverse event | (D) None of the above | |
| 252. | A 25 years old female presents with fever, sharp reterosternal pain and pain aggravates on coughing. She is suffering from | | |
| | (A) Angina Pectoris | (B) Acute myocardial infarction | |
| | (C) Pericarditis | (D) None of the above | |
| 253. | Moderate Hypothermia in a neonate is d | efined as an Axiliary temperature of | |
| | (A) < 34 degree C | (B) < 32 degree C | |
| | (C) 36-36.4 degree C | (D) 32-35.9 degree C | |
| 254. | The most common side effect of ECT is : | | |
| | (A) Dehydration | (B) Dementia | |
| | (C) Amnesia | (D) Fractures | |

| 255. | While examining a 2-year-old child, the nurse in charge sees that the anterior fontanel is open. The nurse should | | |
|------|---|------------------------------------|--|
| | (A) Notify the doctor | | |
| | (B) Look for other signs of abuse | | |
| | (C) Recognize this as a normal finding | | |
| | (D) Ask about a family history of Tay-Sachs disease | | |
| 256. | During 2 rescuer CPR on an adult victim, the compression and breath ratio | | |
| | (A) 15:1 | (B) 15:2 | |
| | (C) 30:1 | (D) 30: 2 | |
| 257. | A meta-analysis would allow you to | | |
| | (A) Replicate any studies | | |
| | (B) Assess the reliability of the studies | | |
| | (C) Explore the variation or inconsistencies in the outcomes of lots of studies | | |
| | (D) Identify the antecedents of a behavior | | |
| 258. | A contrast study is used to identify the obstruction in lacrimal drainage system is | | |
| | (A) Fluorescent angiography | (B) Electroretinograms | |
| | (C) Dacrocystography | (D) Fundus photography | |
| 259. | Evaluation is conducted at the end of a course and is used to determine the extent to which | | |
| | students have achieved the desired learning outcomes is | | |
| | (A) Formative | (B) Summative | |
| | (C) Process evaluation | (D) Outcomes evaluation | |
| 260. | Fetal growth is maximally affected by the following hormone. | | |
| | (A) Insulin | (B) Growth hormone | |
| | (C) Cortisol | (D) Thyroxin | |
| 261. | Staphylococcal infection of sebaceous glands of the eye lids is called | | |
| | (A) Blepharitis | (B) Conjunctivitis | |
| | (C) Keratitis | (D) Hordeolum | |
| 262. | A child is not involved in play activities, | in which type of behavior it comes | |
| | (A) Solitary independent play | (B) Onlooker behavior | |
| | (C) Parallel play | (D) Unoccupied behavior | |
| 263. | The minimum seizure duration required | for effectiveness of ECT | |
| | (A) 1 to 3 seconds | (B) 5 to 10 seconds | |
| | (C) 30 to 90 seconds | (D) 180 to 200 seconds | |
| 264. | The phenomena of light responsible for the working of the human eye is | | |
| | (A) Reflection | (B) Power of accommodation | |
| | (C) Persistence of vision | (D) Refraction | |
| 265. | Vaccine contraindicated in pregnancy is | | |
| | (A) Rubella | (B) Typhoid | |
| | (C) Diphtheria | (D) Hepatitis B | |
| 266. | A double-blind control is an experiment where | | |
| 200. | (A) The participant is not aware of which condition they are in | | |
| | (B) The experimenter is not aware of which condition the participant is in | | |
| | (C) Neither the experimenter nor the participant is aware of which condition the participant is in | | |
| | (D) Nobody has got a clue what is going on | | |
| | | | |

| 20/. | infectious process is | | |
|------|---|---|--|
| | (A) Parkinson's disease | (B) Epilepsy | |
| | (C) Guillain barre syndrome | (D) Myasthenia gravis | |
| 268. | The term 'longitudinal design' mean | | |
| | (A) A study completed far away from where the researcher lives | | |
| | (B) A study which is very long to read | | |
| | (C) A study with two contrasting cases | | |
| | (D) A study completed over a distinct period of time to map changes in social phenomena | | |
| 269. | Purpose of genetic testing: | | |
| | (A) Pre implantation genetic diagnosis | (B) Pre natal diagnostic testing | |
| | (C) New born screening | (D) All of the above | |
| 270. | Vitamin K is prescribed for a neonate. A nurse prepares to administer the medication in which muscle site | | |
| | (A) Deltoid | (B) Triceps | |
| | (C) Vastuslateralis | (D) Biceps | |
| 271. | Sources of health information system: | | |
| | (A) Census | (B) Registration of vital events | |
| | (C) Hospital records | (D) All of the above | |
| 272. | EDTA stands for | | |
| | (A) Ethylene dioxide tetraacetic acid | (B) Ethylene dioxide triamine | |
| | (C) Ethyldiamine tetraamine | (D) Ethylenediamine tetra-acetic acid | |
| 273. | Hematomyelia is, | | |
| | (A) Bleeding into the joints | (B) Bleeding into the lungs | |
| | (C) Bleeding into the spinal cord | (D) Bleeding into the heart | |
| 274. | One among the following Anti Tubercular Treatment drugs is absolutely contraindicated in pregnancy | | |
| | (A) Pyrazinamide | (B) Rifampicin | |
| | (C) Streptomycin | (D) Ethambutol | |
| 275. | MTP Act (1971) in India specifies all of the following except: | | |
| | (A) Person who should perform abortion | (B) Conditions for abortion | |
| | (C) Techniques of abortion | (D) Place for conducting abortion | |
| 276. | Phenomenological study involves all the following features, except: | | |
| | (A) Bracket out | (B) Manipulation | |
| | (C) Description | (D) Analysis | |
| 277. | The signs and symptoms of damage to glossopharyngeal nerve except | | |
| | (A) Pain during swallowing felt in the throat, within the ear or behind the angle of the jaw. | | |
| | (B) Reduced salivary secretion e.g. dryness of the mouth | | |
| | (C) Reduced or absent palatal and pharyngeal gag reflex | | |
| | (D) Dribbling of saliva from drooping angle of mouth. | | |
| 278. | | a pretest can be controlled by which research design? | |
| | (A) Cross over design | (B) Solomon four-group | |
| | (C) Case control study | (D) Pre-experimental | |

| 279. | Isotonic Urine is present in | | | |
|------|--|--|--|--|
| | (A) Henle's loop | (B) Distal tubule | | |
| | (C) Proximal tubule | (D) Blood plasma | | |
| 280. | Premature babies may lose heat by all but which one of the following mechanisms | | | |
| | (A) Conduction | (B) Radiation. | | |
| | (C) Evaporation. | (D) Translocation | | |
| 281. | During the physical assessment of the young adult you note a lateral, S- shaped curved of spine. This condition is termed as: | | | |
| | (A) Hordosis | (B) Scoliosis | | |
| | (C) Kyphosis | (D) Musculosis | | |
| 282. | Correlation is a method used to determine if | | | |
| | (A) Variable X causes variable Y | (B) Variable Y causes variable X | | |
| | (C) Variable X and Y vary together | (D) Variable X and Y are parallel | | |
| 283. | The uppermost and largest bone of the pelvis is | | | |
| | (A) Illiac crest | (B) Ilium | | |
| | (C) Ischium | (D) Obdurate Foramen | | |
| 284. | Providing teaching on umbilical cord care | e to a new mother, the nurse must include Information on | | |
| | (A) Apply peroxide to the cord with each diaper change | | | |
| | (B) Cover the cord with petroleum jelly after bathing | | | |
| | (C) Keep the cord dry and open to air | | | |
| | (D) Wash the cord with soap and water each day during a tub bath | | | |
| 285. | For a patient with symptomatic mi, appropriate nursing interventions include establishing I.V. access to administer | | | |
| | (A) Atropine. | (B) Anticoagulants. | | |
| | (C) Calcium channel blocker. | (D) Digoxin. | | |
| 286. | The nurse is aware that the most commo | The nurse is aware that the most common assessment finding in a child with ulcerative colitis is | | |
| | (A) Intense abdominal cramps | (B) Profuse diarrhea | | |
| | (C) Anal fissures | (D) Abdominal distention | | |
| 287. | The nurse prepares IM injection that is irritating to the subcutaneous tissue, the following is the best action in order to prevent tracking of the medication | | | |
| | (A) Use a small gauge needle | (B) Apply ice on the injection site | | |
| | (C) Administer at a 45° angle | (D) Use the Z-track technique | | |
| 288. | To analyze the relationship between systolic blood pressure (in mm of hg) and weight (in kg) in a sample of 100 patients, we could use | | | |
| | (A) Paired t-test | (B) Correlation coefficient | | |
| | (C) Chi-square test | (D) One way ANOVA | | |
| 289. | Micturition is the term applied to the movement of urine out of the; | | | |
| | (A) Bowman's capsule | (B) Renal pelvis | | |
| | (C) Ureters | (D) Bladder | | |
| 290. | The cell formed by the process of meiosis after which sperm formation takes place is called | | | |
| | (A) Primary spermatocyte | (B) Secondary spermatocyte | | |
| | (C) Spermatid | (D) Sperm mother cell | | |

| 291. | In bone cells the function of forming bone tissues is called as | | |
|------|--|---|--|
| | (A) Osteoid | (B) Osteoclasts | |
| | (C) Osteocytes | (D) Osteoblasts | |
| 292. | The screening of the immigrants for infectious disease is: | | |
| | (A) Mass screening | (B) Prescriptive screening | |
| | (C) Prospective screening | (D) Selective screening | |
| 293. | One among of the following is not an oral contraceptive pill | | |
| | (A) Estrogen only, mini pill | | |
| | (B) Estrogen and progesterone, combined pill | | |
| | (C) Estrogen followed by progesterone, sequential pill | | |
| | (D) Cortisol only pill | | |
| 294. | Moderate control, motivation, awards, interactive communication, and group decision making are the characteristics features of: | | |
| | (A) Authoritarian leader | (B) Democratic leader | |
| | (C) Laissez-faire leader | (D) Autocratic leader | |
| 295. | One of the client factors should alert the nurse to potential increased complications with a burn injury. | | |
| | (A) The client is a 26-year-old male. | | |
| | (B) The client has had a burn injury in the past. | | |
| | (C) The burned areas include the hands and perineum. | | |
| | (D) The burn took place in an open field and ignited the client's clothing. | | |
| 296. | Flash cards come in the following aids | | |
| | (A) Audio | (B) Video | |
| | (C) Both (A) and (B) | (D) None of the above | |
| 297. | Fine-needle aspiration (FNA) is used most commonly to differentiate between: | | |
| | (A) Solid and cystic masses. | (B) Primary and secondary tumors. | |
| | (C) Stage I and II of metastasis. | (D) Connective and epithelial tissue cancers. | |
| 298. | The following organism is responsible for | the development of rheumatic fever | |
| | (A) Streptococcal pneumonia | (B) Haemophilus influenza | |
| | C) Group A β-hemolytic streptococcus | (D) Staphylococcus aureus | |
| 299. | The nurse is aware that a healthy newborn's respirations are | | |
| | (A) Regular, abdominal, 40-50 per minute, deep | | |
| | (B) Irregular, abdominal, 30-60 per minute, shallow | | |
| | (C) Irregular, initiated by chest wall, 30-60 per minute, deep | | |
| | (D) Regular, initiated by the chest wall, 40-60 per minute, shallow | | |
| 300. | A nurse in a newborn nursery receives a phone call to prepare for the admission of a 43-week-gestation newborn with Apgar scores of 1 and 4. In planning for the admission of this infant, the nurse's highest priority should be to | | |
| | (A) Connect the resuscitation bag to the oxygen outlet | | |
| | (B) Turn on the apnea and cardio-respiratory monitors | | |
| | (C) Set up the intravenous line with 5% dextrose in water | | |
| | (D) Sat the radiant warmer central tempor | roture at 36.5° C (07.6*F) | |